

# NORSKE™

LEGENDARY PERFORMANCE™

## 2024 PRODUCT CATALOG



|           |   |           |
|-----------|---|-----------|
| <b>01</b> | TRADE SERIES SAW BLADES                             | <b>3</b>  |
| <b>02</b> | PROFESSIONAL SAW BLADES                             | <b>4</b>  |
| <b>03</b> | INDUSTRIAL SAW BLADES                               | <b>8</b>  |
| <b>04</b> | RECIPROCATING SAW BLADES                            | <b>9</b>  |
| <b>05</b> | JIG SAW BLADES                                      | <b>13</b> |
| <b>06</b> | ABRASIVE WHEELS                                     | <b>14</b> |
| <b>07</b> | DIAMOND CUT-OFF WHEELS                              | <b>16</b> |
| <b>08</b> | DIAMOND BLADES                                      | <b>17</b> |
| <b>09</b> | SIDING + LAMINATE CUTTERS                           | <b>19</b> |
| <b>10</b> | SIDING + LAMINATE CUTTER ACCESSORIES                | <b>20</b> |
| <b>11</b> | DIAMOND HOLE SAWS                                   | <b>21</b> |
| <b>12</b> | DIAMOND HD HOLE SAWS                                | <b>22</b> |
| <b>13</b> | HOLE SAWS & MANDRELS                                | <b>22</b> |
| <b>14</b> | THIN-WALL HOLE SAWS                                 | <b>24</b> |
| <b>15</b> | TITANIUM COATED DRILL BITS AND TRI-FLUTE AUGER BITS | <b>25</b> |
| <b>16</b> | UNI-FIT OSCILLATING ACCESSORIES                     | <b>26</b> |
| <b>17</b> | STARLOCK OSCILLATING ACCESSORIES                    | <b>32</b> |
| <b>18</b> | IMPACT TORSION DRIVER BITS                          | <b>33</b> |
| <b>19</b> | IMPACT TORSION BIT HOLDERS                          | <b>40</b> |
| <b>20</b> | ULTRA-MAX IMPACT TORSION DRIVER BITS                | <b>42</b> |
| <b>21</b> | IMPACT TORSION DRIVER BIT SETS                      | <b>44</b> |
| <b>22</b> | MISCELLANEOUS                                       | <b>46</b> |

## OPTIMIZED FOR CORDLESS CUTTING

Norske's line of entry level saw blades feature an Ultra-Thin Kerf design requiring less horsepower and reduced stock loss. These fast and durable light duty blades are perfect for general purpose framing and fine finish woodworking.



### THIN KERF SAW BLADES | FRAMING & FINISHING

- Optimized for cordless cutting and maximum battery efficiency: **MORE CUTS PER CHARGE**
- Features an ULTRA-THIN KERF design requiring less horsepower and reduced stock loss (**EXCLUDING NEW NCSBT027 - REGULAR KERF**)
- Designed for fast and clean cuts on dimensional lumber and plywood
- C3 Micro-Grain carbide keeps the cutting-edge sharper for longer periods of time
- Laser-cut body, anti-vibration and expansion slots

| ITEM                      | DIAMETER         | TEETH    | ARBOR                                 | UPC          |
|---------------------------|------------------|----------|---------------------------------------|--------------|
| NCSBT004                  | 4-3/8"           | 40       | 20mm - 3/8" (Bushing)                 | 628204600040 |
| NCSBT005                  | 5-3/8"           | 30       | 5/8" - 10mm<br>5/8" - 1/2" (Bushings) | 628204600057 |
| NCSBT007                  | 6-1/2"           | 24       | 5/8"   DKO                            | 628204600071 |
| NCSBT008                  | 6-1/2"           | 40       | 5/8"   DKO                            | 628204600088 |
| NCSBT150C<br>(COMBO PACK) | 6-1/2"<br>6-1/2" | 24<br>40 | 5/8"   DKO<br>5/8"   DKO              | 628204600811 |
| NCSBT011                  | 7-1/4"           | 24       | 5/8"   DKO                            | 628204600118 |
| NCSBT011T<br>(TWIN PACK)  | 7-1/4"<br>7-1/4" | 24<br>24 | 5/8"   DKO                            | 628204600828 |
| NCSBT014                  | 7-1/4"           | 60       | 5/8"   DKO                            | 628204600149 |

| ITEM                       | DIAMETER   | TEETH    | ARBOR        | UPC          |
|----------------------------|------------|----------|--------------|--------------|
| NCSBT015                   | 8-1/4"     | 24       | 5/8"   DKO   | 628204600156 |
| NCSBT017                   | 8-1/4"     | 60       | 5/8"   DKO   | 628204600170 |
| NCSBT023                   | 10"        | 28       | 5/8"         | 628204600231 |
| NCSBT026                   | 10"        | 60       | 5/8"         | 628204600262 |
| NCSBT160C<br>(COMBO PACK)  | 10"<br>10" | 28<br>60 | 5/8"<br>5/8" | 628204600804 |
| NCSBT027<br>(REGULAR KERF) | 10"        | 80       | 5/8"         | 628204600279 |
| NCSBT029                   | 12"        | 80       | 1"           | 628204600293 |

### BULK THIN KERF SAW BLADE BOXES | 12 PIECE PACK

| ITEM       | DIAMETER | TEETH | ARBOR      | UPC          |
|------------|----------|-------|------------|--------------|
| NCSBT011MP | 7-1/4"   | 24    | 5/8"   DKO | 628204601009 |



# PROFESSIONAL SAW BLADES: A CUT ABOVE THE REST

Norske's line of professional full kerf saw blades are designed to meet the rigorous needs of professional users. Available for a variety of cutting applications, Norske™ professional blades feature high-grade carbide tips and premium hardened steel plates guaranteed to deliver superior results.



## MITER WOOD

- Fine wood finishing blades designed for all miter, sliding compound miter and radial arm saws
- Thick C4 micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots
- Special ATAF [Alternating Tooth / Alternating Face] tooth grind
- Provides ultra-smooth cutting for professional cabinet makers and trim carpenters

| ITEM     | DIAMETER | TEETH | ARBOR | UPC          |
|----------|----------|-------|-------|--------------|
| NCSBP246 | 10"      | 80    | 5/8"  | 628204602464 |
| NCSBP247 | 12"      | 80    | 1"    | 628204602471 |



## MITER ALUMINUM

- For use on all miter, sliding compound miter and radial arm saws
- Designed to cut non-ferrous metals such as aluminum, brass, copper as well as plastics
- Triple chip grind with 0° hook angle eliminates blowout and kickback
- C6 micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots reduce noise and vibration during operation
- Thin plate / thin kerf design

| ITEM     | DIAMETER | TEETH | ARBOR      | UPC          |
|----------|----------|-------|------------|--------------|
| NCSBP253 | 7-1/4"   | 60    | 5/8"   DK0 | 628204602532 |
| NCSBP255 | 8-1/4"   | 60    | 5/8"   DK0 | 628204602556 |
| NCSBP257 | 10"      | 100   | 5/8"       | 628204602570 |
| NCSBP259 | 12"      | 100   | 1"         | 628204602594 |



**MELAMINE PLUS**

- The ULTIMATE finishing blade; features special 35° High ATB tooth design for ultra-smooth cutting of melamine, laminates, hardwoods and laminate flooring
- C4 Micro-grain carbide tips precision sharpened on all sides
- Laser-cut body, anti-vibration and expansion slots reduce noise and vibration during operation
- For professional cabinet makers, trim carpenters and avid Do-It-Yourselfers

| ITEM     | DIAMETER | TEETH | ARBOR      | UPC          |
|----------|----------|-------|------------|--------------|
| NCSBP271 | 7-1/4"   | 40    | 5/8"   DKO | 628204602716 |
| NCSBP272 | 8-1/4"   | 60    | 5/8"   DKO | 628204602723 |
| NCSBP273 | 10"      | 80    | 5/8"       | 628204602730 |
| NCSBP274 | 12"      | 100   | 1"         | 628204602747 |



**PCD | POLYCRYSTALLINE DIAMOND CARBIDE**

- Specially designed for cutting HardiePlank®, Cemplank® and other fiber cement products
- Features abrasion-resistant polycrystalline diamond carbide for faster cutting and increased cutting life
- Extra-large gullet design improves material removal and minimizes dust
- For professional HardiePlank® installers

| ITEM                      | DIAMETER | TEETH | ARBOR                                 | UPC          |
|---------------------------|----------|-------|---------------------------------------|--------------|
| NCSBP280                  | 5-3/8"   | 4     | 5/8" - 10mm<br>5/8" - 1/2" (Bushings) | 628204602808 |
| NCSBP281                  | 6-1/2"   | 4     | 5/8"   DKO                            | 628204602815 |
| NCSBP281C<br>(2 PC COMBO) | 6-1/2"   | 4     | 5/8"   DKO                            | 628204604413 |
| NCSBP282                  | 7-1/4"   | 4     | 5/8"   DKO                            | 628204602822 |



| ITEM                      | DIAMETER | TEETH | ARBOR      | UPC          |
|---------------------------|----------|-------|------------|--------------|
| NCSBP282C<br>(2 PC COMBO) | 7-1/4"   | 4     | 5/8"   DKO | 628204604420 |
| NCSBP283                  | 10"      | 6     | 5/8"       | 628204602839 |
| NCSBP284                  | 12"      | 8     | 1"         | 628204602846 |

**COMPOSITE DECKING**

- Specially designed to maximize cutting life in composite decking materials and cellular PVC
- Modified Triple Chip Grind (MTCG) tooth profile for clean, cool and "Melt Free" cutting
- Ultra-thin kerf design provides fast and clean cuts with minimal material removal
- Protec® Non-Stick Coating reduces drag and shields the blade against gumming, corrosion and heat
- 5 Degree hook angle for an ultra-clean cut

| ITEM     | DIAMETER | TEETH | ARBOR      | UPC          |
|----------|----------|-------|------------|--------------|
| NCSBP226 | 7-1/4"   | 48    | 5/8"   DKO | 628204602266 |
| NCSBP228 | 10"      | 64    | 5/8"       | 628204602280 |
| NCSBP230 | 12"      | 72    | 1"         | 628204602303 |



## SOCK-TOOTH

- Advanced sock-tooth technology allows carbide tips to withstand extreme impact while maintaining maximum tooth support
- Precision ground C3 micro-carbide tips provide a super fine cutting edge
- Aggressive 25° Hook Angle\* for faster cutting [\*5-3/8" to 8-1/4" BLADES ONLY]
- Anti-kickback\* tooth design eliminates grabbing and jamming



| ITEM     | DIAMETER | TEETH | ARBOR                                 | UPC          |
|----------|----------|-------|---------------------------------------|--------------|
| NCSBS401 | 5-3/8"   | 24    | 5/8" - 10mm<br>5/8" - 1/2" (Bushings) | 628204604017 |
| NCSBS405 | 6-1/2"   | 24    | 5/8"   DKO                            | 628204604055 |
| NCSBS409 | 7-1/4"   | 24    | 5/8"   DKO                            | 628204604093 |
| NCSBS413 | 7-1/4"   | 40    | 5/8"   DKO                            | 628204604130 |
| NCSBS417 | 8-1/4"   | 40    | 5/8"   DKO                            | 628204604178 |
| NCSBS419 | 10"      | 28    | 5/8"                                  | 628204604192 |

| ITEM                      | DIAMETER | TEETH | ARBOR      | UPC          |
|---------------------------|----------|-------|------------|--------------|
| NCSBS421                  | 10-1/4"  | 36    | 5/8"   DKO | 628204604215 |
| NCSBS421C<br>(COMBO PACK) | 10-1/4"  | 36    | 5/8"   DKO | 628204604406 |
| NCSBS425                  | 10"      | 40    | 5/8"       | 628204604253 |
| NCSBS429                  | 10"      | 50    | 5/8"       | 628204604291 |
| NCSBS431                  | 12"      | 40    | 1"         | 628204604314 |
| NCSBS433                  | 12"      | 60    | 1"         | 628204604338 |

## SOCK-TOOTH | 12 PIECE PACKS

| ITEM       | DIAMETER | TEETH | ARBOR      | UPC          |
|------------|----------|-------|------------|--------------|
| NCSBS405MP | 6-1/2"   | 24    | 5/8"   DKO | 628204604543 |
| NCSBS409MP | 7-1/4"   | 24    | 5/8"   DKO | 628204604505 |



## METAL CUTTING

- Specially engineered for high performance cutting of Steel Roofing, Metal Siding, Steel Pipe, Steel Studs and more
- 0° Hook angle reduces overfeeding, jamming, tooth breakage and kickback
- Modified Triple Chip Grind (MTCG) allows for easier cutting
- C6 Micro-grain carbide tips



| ITEM     | DIAMETER | TEETH | ARBOR                                 | UPC          |
|----------|----------|-------|---------------------------------------|--------------|
| NCSBP208 | 5-3/8"   | 50    | 5/8" - 10mm<br>5/8" - 1/2" (Bushings) | 628204602082 |
| NCSBP209 | 5-3/8"   | 50    | 20 mm                                 | 628204602099 |
| NCSBP210 | 6-1/2"   | 48    | 5/8"   DKO                            | 628204602105 |
| NCSBP212 | 7-1/4"   | 48    | 5/8"   DKO                            | 628204602129 |

| ITEM      | DIAMETER | TEETH | ARBOR | UPC          |
|-----------|----------|-------|-------|--------------|
| NCSBP214  | 8"       | 48    | 5/8"  | 628204602143 |
| NCSBP216  | 10"      | 72    | 5/8"  | 628204602167 |
| NCSBP218* | 12"      | 80    | 1"    | 628204602181 |
| NCSBP220* | 14"      | 80    | 1"    | 628204602204 |

\*LOW RPM SAWS ONLY! MAX 1,800 RPM

**REVERSA™ CUT**

- THIN KERF DESIGN provides **ULTRA FAST CUTTING**
- The ultimate framing blade complete with revolutionary TWIN TOOTH technology
- Radical Bi-directional tooth profile doubles the blades cutting life
- Specially designed for ripping & cross cutting dimensional lumber
- C3 micro-grain carbide tips precision sharpened on all sides (Top / Face / Sides) for more precise cuts and longer cutting life
- Manufactured from Japanese tool steel for true and straight cuts
- Laser cut plate & expansion slots



| ITEM     | DIAMETER | TEETH | ARBOR                                 | UPC          |
|----------|----------|-------|---------------------------------------|--------------|
| NCSBP287 | 5-3/8"   | 24    | 5/8" - 10mm<br>5/8" - 1/2" (Bushings) | 628204602877 |
| NCSBP288 | 6-1/2"   | 24    | 5/8"   DKO                            | 628204602884 |
| NCSBP290 | 7-1/4"   | 24    | 5/8"   DKO                            | 628204602907 |
| NCSBP293 | 8-1/4"   | 24    | 5/8"   DKO                            | 628204602938 |
| NCSBP295 | 10"      | 28    | 5/8"                                  | 628204602952 |
| NCSBP297 | 12"      | 28    | 1"                                    | 628204602976 |

**REVERSA™ CUT | 10 PIECE PACKS**

| ITEM        | DIAMETER | TEETH | ARBOR           | UPC          |
|-------------|----------|-------|-----------------|--------------|
| NCSBP288MP  | 6-1/2"   | 24    | 5/8"   DKO      | 628204604536 |
| NCSBP290MP  | 7-1/4"   | 24    | 5/8"   DKO      | 628204604512 |
| NCSBP290DMP | 7-1/4"   | 24    | DIAMOND<br>BORE | 628204604529 |



## INDUSTRIAL METAL CUTTING

Norske™ Industrial metal cutting saw blades are designed to provide maximum performance when cutting ferrous and non-ferrous metals. Compared to abrasive cutting wheels, Norske™ metal cutting saw blades cut faster and more accurately. They also impart less heat and produce no hazardous dust.



### METAL CUTTING

- SK5 Japanese Tool Steel plates to maximize performance and reduce vibration
- C-6 Japanese Micro-Grain carbide specifically designed for metal cutting only
- Enhanced Tooth Geometry engineered to minimize friction and increase carbide life
- 0° Hook Angle for safe cutting performance without affecting blade performance
- Precision laser cut plate & expansion slots to withstand rotational and thermal stresses
- Coated plates to prevent rust or build up while reducing friction



| ITEM      | DIAMETER | TEETH | ARBOR      | UPC          |
|-----------|----------|-------|------------|--------------|
| NCSBI552  | 6-1/2"   | 60    | 5/8"   DKO | 628204605526 |
| NCSBI554  | 7-1/4"   | 60    | 5/8"   DKO | 628204605540 |
| NCSBI558  | 10"      | 72    | 5/8"       | 628204605588 |
| NCSBI560* | 12"      | 80    | 1"         | 628204605601 |
| NCSBI562* | 14"      | 80    | 1"         | 628204605625 |

\*LOW RPM SAWS ONLY! MAX 1,800 RPM



**WOOD + METAL**

- Variable teeth (milled and side set)
- For all types of wood with metal residues
- Made from industrial grade bi-metal steel
- Made in Germany



| ITEM    | LENGTH | TPI   | UPC          |
|---------|--------|-------|--------------|
| NRBP200 | 8"     | 10/14 | 628204636001 |
| NRBP201 | 12"    | 10/14 | 628204636018 |
| NRBP202 | 6"     | 8/10  | 628204636025 |
| NRBP203 | 8"     | 8/10  | 628204636032 |

**POWER CURVE | METAL**

- Teeth milled and wavy set
- Aggressive blade design optimizes the blade's angle of attack for faster cutting
- Flexible all-round blade for steel and stainless steel
- Made from industrial grade bi-metal steel
- Made in Germany



| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP210 | 6"     | 18  | 628204636100 |
| NRBP211 | 9"     | 18  | 628204636117 |
| NRBP212 | 6"     | 14  | 628204636124 |
| NRBP213 | 9"     | 14  | 628204636131 |

**DEMOLITION | WOOD**

- Teeth milled and side set
- Special thick and robust blade for fast and straight cuts in wood with metal residue
- Especially for dismantling, rescue and salvage
- Made from industrial grade bi-metal steel
- Made in Germany



| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP220 | 6"     | 6   | 628204636209 |
| NRBP221 | 9"     | 6   | 628204636216 |
| NRBP222 | 12"    | 6   | 628204636223 |

### DEMOLITION | METAL

- Teeth milled and side set
- Special thick and robust blade for fast and straight cuts in steel thicker than 1/8"
- Especially for dismantling, rescue and salvage
- Made from industrial grade bi-metal steel
- Made in Germany



| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP223 | 6"     | 10  | 628204636230 |
| NRBP224 | 9"     | 10  | 628204636247 |
| NRBP225 | 12"    | 10  | 628204636254 |

### FIRE AND RESCUE | DEMOLITION

- Thick and robust blade for straighter cuts with less vibration and bending
- Aggressive blade design optimizes the blade's angle of attack for faster cutting
- Made from industrial grade bi-metal steel; HCS (High Carbon Steel) + MATRIX II HSS (High Speed Steel) for guaranteed performance



| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP245 | 6"     | 6   | 628204636452 |
| NRBP247 | 9"     | 6   | 628204636476 |
| NRBP249 | 12"    | 6   | 628204636490 |
| NRBP251 | 6"     | 10  | 628204636513 |
| NRBP253 | 9"     | 10  | 628204636537 |
| NRBP255 | 12"    | 10  | 628204636551 |

### CARBIDE TIPPED | DEMOLITION

- Enhanced carbide tipped blade for maximum cutting performance and increased durability
- Engineered to withstand cutting highly abrasive materials such as: HardiePlank™, cement board, pressure treated lumber and fiberglass
- Aggressive 6 TPI tooth designed for faster demolition work
- Wider and thicker plate for straighter cuts with less vibration
- Laser welded tungsten carbide band for longer life



| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP260 | 6"     | 6   | 628204636605 |
| NRBP262 | 9"     | 6   | 628204636629 |
| NRBP264 | 12"    | 6   | 628204636643 |

**M-TOOTH | WOOD WITH NAILS**

- Features patented “M-Tooth” design
- Robust teeth work forward and back stroke; recommended for steel over 1/16”
- Quick and precise cuts with above-average life
- Made from industrial grade bi-metal steel
- Made in Germany



| ITEM                    | LENGTH | TPI | UPC          |
|-------------------------|--------|-----|--------------|
| NRBP230                 | 6"     | 8   | 628204636308 |
| NRBP231                 | 8"     | 8   | 628204636315 |
| NRBP232                 | 6"     | 5   | 628204636322 |
| NRBP233                 | 8"     | 5   | 628204636339 |
| NRBP234                 | 12"    | 5   | 628204636346 |
| NRBP235<br>DOUBLE ENDED | 9"     | 5   | 628204636353 |

**CAST IRON + MASONRY**

- Made with CARBIDE GRIT for long life
- High performance in cast steel pipe, cast iron and abrasive materials including ceramics, man-made stone, brick, marble, and more
- Uniformly applied, durable carbide grit particles on a flexible blade provide fast cuts without snagging or binding
- Made in Germany



| ITEM    | LENGTH | TPI          | UPC          |
|---------|--------|--------------|--------------|
| NRBP240 | 8"     | CARBIDE GRIT | 628204636407 |

**PRUNING BLADE**

- Specially designed for pruning
- High Carbon Steel construction for optimal durability and sharpness
- Precision-ground cutting edge for ultimate cutting performance
- Large blade gullets between teeth provide fast chip removal
- Made in Germany



| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP241 | 12"    | 3   | 628204636414 |

**5 PC RECIP BLADE PACK | WOOD + METAL**

- Variable teeth (milled and side set)
- For all types of wood with metal residues
- Made from industrial grade bi-metal steel

| ITEM    | LENGTH | TPI   | UPC          |
|---------|--------|-------|--------------|
| NRBP300 | 8"     | 10/14 | 628204637008 |
| NRBP301 | 12"    | 10/14 | 628204637015 |



**5 PC RECIP BLADE PACK | POWER CURVE METAL**

- Teeth milled and wavy set
- Aggressive blade design optimizes the blade's angle of attack for faster cutting
- Flexible all-round blade for steel and stainless steel
- Made from industrial grade bi-metal steel

| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP310 | 6"     | 18  | 628204637107 |
| NRBP311 | 9"     | 18  | 628204637114 |
| NRBP312 | 6"     | 14  | 628204637121 |
| NRBP313 | 9"     | 14  | 628204637138 |



**5 PC RECIP BLADE PACK | DEMOLITION | WOOD**

- Teeth milled and side set
- Special thick and robust blade for fast and straight cuts in wood with metal residue
- Especially for dismantling, rescue and salvage
- Made from industrial grade bi-metal steel

| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP321 | 9"     | 6   | 628204637213 |
| NRBP322 | 12"    | 6   | 628204637220 |



**5 PC RECIP BLADE PACK | FIRE AND RESCUE | DEMOLITION**

- Thick and robust blade for straighter cuts with less vibration and bending
- Aggressive blade design optimizes the blade's angle of attack for faster cutting
- Made from industrial grade bi-metal steel; HCS (High Carbon Steel) + MATRIX II HSS (High Speed Steel) for guaranteed performance

| ITEM    | LENGTH | TPI | UPC          |
|---------|--------|-----|--------------|
| NRBP347 | 9"     | 6   | 628204637473 |
| NRBP349 | 12"    | 6   | 628204637497 |



**HIGH CARBON STEEL | 3 PC PACK**

- Made from HCS Tool Steel for maximum sharpness
- Exceptional performance in wood, laminated particle board or plastics
- Specialized tooth geometry for specific materials

| ITEM    | LNG    | TPI | DESCRIPTION                                  | UPC          |
|---------|--------|-----|--|--------------|
| NJBP350 | 4-1/2" | 10  | Clean Cut   <b>Wood</b>                      | 628204634502 |
| NJBP351 | 4-1/2" | 10  | Clean Cut   <b>Wood Plunge</b>               | 628204634519 |
| NJBP352 | 4"     | 10  | Down Cutting   <b>Laminate Reverse Tooth</b> | 628204634526 |
| NJBP353 | 3-1/4" | 20  | Clean Cut   <b>Wood Scroll</b>               | 628204634533 |
| NJBP354 | 4-1/2" | 10  | Clean Cut   <b>Wood Progressor</b>           | 628204634540 |
| NJBP355 | 4-1/2" | 6   | Fast Cut   <b>Wood</b>                       | 628204634557 |



**BI-METAL | 3 PC PACK**

- Advanced Bi-Metal Construction - Flexes and resists breaking and extends blade life - UP TO 10X LONGER LIFE than conventional blades
- Super sharp and reinforced teeth for exceptional performance in all cutting applications
- Specialized tooth geometry for specific materials

| ITEM    | LNG    | TPI | DESCRIPTION                        | UPC          |
|---------|--------|-----|------------------------------------|--------------|
| NJBP374 | 4-1/2" | 10  | Clean Cut   <b>Hardwood</b>        | 628204634748 |
| NJBP375 | 4-1/2" | 10  | Clean Cut   <b>Hardwood Scroll</b> | 628204634755 |
| NJBP376 | 3-1/4" | 20  | Fast Cut   <b>Hardwood</b>         | 628204634762 |
| NJBP377 | 4-1/2" | 10  | Fast + Clean Cut   <b>Metal</b>    | 628204634779 |
| NJBP378 | 4-1/2" | 6   | Clean Cut   <b>Metal</b>           | 628204634786 |



**CARBIDE TIPPED | 2 PC PACK**

- Aggressive carbide tooth geometry delivers effortless cuts in plaster, cement board, fiberglass, plasterboard and other abrasive materials
- Enhanced carbide tip to blade connection for fast cutting and extreme durability
- Ideal for construction, renovation, and remodeling

| ITEM    | LNG | TPI | DESCRIPTION                         | UPC          |
|---------|-----|-----|-------------------------------------|--------------|
| NJBP390 | 5"  | 6   | Fast + Aggressive Cut   <b>Wood</b> | 628204634908 |
| NJBP391 | 5"  | 10  | Clean Cut   <b>Wood</b>             | 628204634915 |



**THIN KERF - STAINLESS STEEL | TYPE 1**

- Clean, burr-free cutting of stainless steel and metal
- Thin Kerf design to cut cool and fast
- High performance aluminum-oxide grain for long life and quick material removal
- Built with woven fiberglass for increased durability and safer operation

| ITEM   | DIA.   | THICK. | ARBOR | TYPE | UPC          |
|--------|--------|--------|-------|------|--------------|
| NAP201 | 4-1/2" | 0.040" | 7/8"  | 1    | 628204639019 |
| NAP202 | 5"     | 0.040" | 7/8"  | 1    | 628204639026 |
| NAP203 | 7"     | 0.060" | 7/8"  | 1    | 628204639033 |

**THIN KERF - STAINLESS STEEL | TYPE 27**

- Clean, burr-free cutting of stainless steel and metal
- Thin Kerf design to cut cool and fast
- High performance aluminum-oxide grain for long life and quick material removal
- Built with woven fiberglass for increased durability and safer operation

| ITEM   | DIA.   | THICK. | ARBOR | TYPE | UPC          |
|--------|--------|--------|-------|------|--------------|
| NAP211 | 4-1/2" | 0.040" | 7/8"  | 27   | 628204639118 |
| NAP212 | 5"     | 0.040" | 7/8"  | 27   | 628204639125 |
| NAP213 | 7"     | 0.060" | 7/8"  | 27   | 628204639132 |

**THIN KERF 50 PC BOX - STAINLESS STEEL | TYPE 27**

**NEW!**  
**NEW!**

| ITEM   | DIA.   | THICK. | ARBOR | TYPE | UPC          |
|--------|--------|--------|-------|------|--------------|
| NAP205 | 4-1/2" | 0.032" | 7/8"  | 27   | 628204639057 |
| NAP206 | 5"     | 0.032" | 7/8"  | 27   | 628204639064 |

**NEW!**

**METAL CUTTING**

- Clean, burr-free cutting of metal
- High performance aluminum-oxide grain provides extreme durability and quick material removal
- Built with woven fiberglass for increased durability and safer operation
- High grain concentration provides aggressive grinding action and smooth-running

| ITEM                       | DIA. | THICK. | ARBOR | TYPE | UPC          |
|----------------------------|------|--------|-------|------|--------------|
| NAP230<br>(Gas + Chop Saw) | 12"  | 1/8"   | 1"    | 1    | 628204639309 |
| NAP232<br>(Gas + Chop Saw) | 14"  | 5/32"  | 1"    | 1    | 628204639323 |
| NAP236<br>(Chop Saw)       | 12"  | 7/64"  | 1"    | 1    | 628204639361 |
| NAP238<br>(Chop Saw)       | 14"  | 1/8"   | 1"    | 1    | 628204639385 |



**GRINDING WHEELS | STAINLESS STEEL + METAL**

- Built for fast removal rates and long wheel life
- Manufactured with superior grade grains and reinforced for maximum operator safety and comfort
- Resists bending and twisting

| ITEM   | DIA.   | THICK. | ARBOR | TYPE | UPC          |
|--------|--------|--------|-------|------|--------------|
| NAP250 | 4-1/2" | 1/4"   | 7/8"  | 27   | 628204639507 |
| NAP251 | 5"     | 1/4"   | 7/8"  | 27   | 628204639514 |
| NAP252 | 7"     | 1/4"   | 7/8"  | 27   | 628204639521 |



**CERAMAXX CUTTING + GRINDING**

- Our **STRONGEST** discs – Manufactured with ceramic grain for ultimate performance
- Designed to CUT + GRIND stainless steel and metal
- Built for increased productivity and efficiency with maximum removal rates
- Cool cutting without thermal bluing resulting in less rework

| ITEM   | DIA.   | THICK. | ARBOR | TYPE | UPC          |
|--------|--------|--------|-------|------|--------------|
| NAP240 | 4-1/2" | 1/8"   | 7/8"  | 27   | 628204639408 |
| NAP241 | 5"     | 1/8"   | 7/8"  | 27   | 628204639415 |



**TAPER CUT | 10PC PACK**

- Clean, burr-free cutting of stainless steel, non-ferrous and ferrous metals
- Revolutionary conical disc design – disc tapers towards the center reducing kick back
- Engineered to cut cool, fast and run free
- Reduced side friction for unhindered cutting

| ITEM   | DIA.   | THICK. | ARBOR | TYPE | UPC          |
|--------|--------|--------|-------|------|--------------|
| NAP220 | 4-1/2" | 5/64"  | 7/8"  | 1    | 628204639200 |
| NAP221 | 5"     | 5/64"  | 7/8"  | 1    | 628204639217 |



**ALL PURPOSE | 10PC PACK**

- Specially formulated to cut stainless steel, metal and masonry
- Low burr to burr-free edges
- Thin Kerf design to cut cool and fast
- No time consuming disc changes required

| ITEM   | DIA.   | THICK. | ARBOR | TYPE | UPC          |
|--------|--------|--------|-------|------|--------------|
| NAP225 | 4-1/2" | 3/64"  | 7/8"  | 1    | 628204639255 |
| NAP226 | 5"     | 3/64"  | 7/8"  | 1    | 628204639262 |



**FLAP DISC - ALL PURPOSE | TYPE 27**

- Perfect choice for demanding grinding work - features a high-quality aluminium oxide (corundum) abrasive grain built for a robust and economical grinding wheel
- Impressively long tool life coupled with consistently aggressive stock removal
- Flaps feature a special stearate coating that significantly reduces any risk of clogging for this disc
- Iron and sulphur free - will not pollute the working surface
- High strength ABS disc enhances strength, durability, and extends disc life

**NEW!**



**NEW!**

**NEW!**

**NEW!**

**NEW!**

| ITEM   | DIA.   | GRIT | ARBOR | TYPE | UPC          |
|--------|--------|------|-------|------|--------------|
| NAP260 | 4-1/2" | 40 G | 7/8"  | 27   | 628204639606 |
| NAP261 | 4-1/2" | 60 G | 7/8"  | 27   | 628204639613 |
| NAP262 | 5"     | 40 G | 7/8"  | 27   | 628204639620 |
| NAP263 | 5"     | 60 G | 7/8"  | 27   | 628204639637 |

**MEGA BITE DIAMOND CUT OFF WHEELS**

- Advanced diamond technology provides extreme cutting in wood, tubular metals, non-ferrous metals, masonry products, tiles and PVC
- Heat-resistant vacuum brazed to deliver best-in-class performance and extreme blade life
- High grade diamond rim to reduce dust residue and odors versus bonded abrasives – unlike bonded abrasives they don't wear down!



| ITEM    | DIAMETER | ARBOR      | UPC          |
|---------|----------|------------|--------------|
| NDBS334 | 4"       | 5/8"       | 628204610346 |
| NDBS335 | 4-1/2"   | 7/8"       | 628204610353 |
| NDBS338 | 7"       | 5/8"   DKO | 628204610384 |



**TURBO RIM DIAMOND BLADE**

- Turbo rim design provides fast and smooth cutting with minimum chipping
- Ideal for general purpose cutting applications including concrete, roofing tile, bricks, stones and granite
- High performance bond matrix for faster, longer, smoother cutting
- Premium quality steel core minimizes vibration

| ITEM    | DIAMETER | ARBOR       | UPC          |
|---------|----------|-------------|--------------|
| NDBP203 | 4"       | 7/8" - 5/8" | 628204609036 |
| NDBP206 | 4-1/2"   | 7/8" - 5/8" | 628204609067 |
| NDBP209 | 5"       | 7/8" - 5/8" | 628204609098 |



| ITEM    | DIAMETER | ARBOR      | UPC          |
|---------|----------|------------|--------------|
| NDBP212 | 7"       | 5/8"   DKO | 628204609128 |
| NDBP215 | 10"      | 5/8"       | 628204609159 |

**SEGMENTED RIM DIAMOND BLADE**

- Segmented Rim Diamond Blades deliver faster cooler cutting in multiple applications including concrete, roofing tile, bricks, stones and granite
- High performance bond matrix for faster, longer, smoother cutting
- Premium quality steel core minimizes vibration

| ITEM    | DIAMETER | ARBOR       | UPC          |
|---------|----------|-------------|--------------|
| NDBP224 | 4"       | 7/8" - 5/8" | 628204609241 |
| NDBP227 | 4-1/2"   | 7/8" - 5/8" | 628204609272 |
| NDBP230 | 5"       | 7/8" - 5/8" | 628204609302 |
| NDBP233 | 7"       | 5/8"   DKO  | 628204609333 |



| ITEM    | DIAMETER | ARBOR             | UPC          |
|---------|----------|-------------------|--------------|
| NDBP235 | 9"       | 7/8" - 5/8"   DKO | 628204609357 |
| NDBP236 | 10"      | 5/8"              | 628204609364 |
| NDBP237 | 12"      | 1" - 20mm         | 628204609371 |
| NDBP238 | 14"      | 1" - 20mm         | 628204609388 |

**CONTINUOUS RIM DIAMOND BLADE**

- The choice of professionals for all smooth cutting applications
- Continuous rim design provides the smoothest of cuts with minimum chipping in hard materials such as ceramic tile, porcelain and granite
- High performance bond matrix for faster, longer, smoother cutting
- Premium quality steel core minimizes vibration


| ITEM    | DIAMETER | ARBOR       | UPC          |
|---------|----------|-------------|--------------|
| NDBP244 | 4"       | 7/8" - 5/8" | 628204609449 |
| NDBP247 | 4-1/2"   | 7/8" - 5/8" | 628204609470 |
| NDBP250 | 5"       | 7/8" - 5/8" | 628204609500 |



| ITEM    | DIAMETER | ARBOR      | UPC          |
|---------|----------|------------|--------------|
| NDBP253 | 7"       | 5/8"   DKO | 628204609531 |
| NDBP256 | 10"      | 5/8"       | 628204609562 |

**MESH RIM DIAMOND BLADE**

- The **ULTIMATE** choice of professionals for *EXTREMELY* smooth cutting
- Continuous rim design provides the smoothest of cuts with minimum chipping in hard materials such as ceramic tile, porcelain and granite
- High performance bond matrix for faster, longer, smoother cutting
- Premium quality steel core minimizes vibration



| ITEM    | DIAMETER | ARBOR       | UPC          |
|---------|----------|-------------|--------------|
| NDBP240 | 4-1/2"   | 7/8" - 5/8" | 628204609401 |
| NDBP241 | 5"       | 7/8" - 5/8" | 628204609418 |
| NDBP242 | 7"       | 5/8"   DKO  | 628204609425 |

**GLASS CUTTING DIAMOND BLADE**

- High-quality diamond mix – includes smaller diamonds for an extra clean cut
- High performance bond matrix for faster, longer, smoother cutting
- Premium quality steel core minimizes vibration



| ITEM    | DIAMETER | ARBOR | UPC          |
|---------|----------|-------|--------------|
| NDBP263 | 7"       | 5/8"  | 628204609630 |
| NDBP264 | 10"      | 5/8"  | 628204609647 |

**DIAMOND CUP WHEELS**

- Available in **DOUBLE ROW** and **TURBO**
- **DOUBLE ROW** cup configuration allows faster material removal ideal for all types of stone like concrete, ceramic, tile, marble, granite, rock, cement, etc.
- **TURBO ROW** cup configuration for more flat, persistent and smooth grinding of concrete, granite, stone, marble, tile, masonry and other construction material

| ITEM    | DESCRIPTION                          | UPC          |
|---------|--------------------------------------|--------------|
| NDBP271 | 4 1/2" Double Row Diamond Cup Wheel  | 628204609715 |
| NDBP272 | 5" Double Row Diamond Cup Wheel      | 628204609722 |
| NDBP275 | 4-1/2" Turbo Diamond Cup Wheel (14S) | 628204609753 |
| NDBP276 | 5" Turbo Diamond Cup Wheel (18S)     | 628204609760 |
| NDBP277 | 7" Turbo Diamond Cup Wheel (12S)     | 628204609777 |

**NEW!**  
**NEW!**  
**NEW!**  
**NEW!**  
**NEW!**

**NEW!**  
COMING SOON!

# 13" SIDING & LAMINATE FLOORING CUTTERS



- Cuts a variety of material, including laminate flooring, fiber cement board (Hardie Plank®, Cemplank®), engineered wood and vinyl siding up to 13" wide and 19/32" thick
- Compact and easy to use; produces clean, precision cuts with no splintering and smooth finish
- Heavy duty fixed aluminum fence for precise 90° angled cuts
- Sturdy high-quality steel and aluminum construction
- Laser etched table miter gauge for 15°, 22.5°, 30° & 45° angle cuts
- Includes 13" high speed steel blade

## 13" SIDING & LAMINATE FLOORING CUTTER

| ITEM    | DESCRIPTION                           | UPC          |
|---------|---------------------------------------|--------------|
| NMAP001 | 13" Siding & Laminate Flooring Cutter | 628204644013 |



## 13" SIDING & LAMINATE FLOORING CUTTER with SLIDING EXTENSION TABLE

| ITEM    | DESCRIPTION  | UPC          |
|---------|--|--------------|
| NMAP004 | 13" Siding & Laminate Flooring Cutter with Sliding Extension Table | 628204644044 |



## 13" SIDING & LAMINATE FLOORING CUTTER with ADJUSTABLE HOLD DOWN CLAMP

| ITEM    | DESCRIPTION   | UPC          |
|---------|---|--------------|
| NMAP006 | 13" Siding & Laminate Flooring Cutter with Adjustable Hold Down Clamp | 628204644068 |



### 13" LAMINATE FLOORING CUTTER BLADE

- Manufactured from superior grade High Speed Steel for extended cutting life
- Produces clean, precision cuts with no splintering or chipping
- Bolts firmly in place to ensure straight and accurate cutting
- Fit's Norske NMAP001, NMAP004 and NMAP006 13" Siding & Laminate cutters



| ITEM    | DESCRIPTION                       | UPC          |
|---------|-----------------------------------|--------------|
| NMAP002 | Replacement Blade for 13" Cutters | 628204644020 |

### LAMINATE FLOORING CUTTER INSTALLATION KIT

- Install your new laminate or hardwood flooring quickly, efficiently and accurately
- Tapping block designed to eliminate gaps between planks
- Pull bar used to eliminate gaps on the long edge of planks
- Includes: 1 x Rubber Mallet, 1 x Tapping Block, 1 x Pull Bar, 16 PVC Spacers



| ITEM    | DESCRIPTION                        | UPC          |
|---------|------------------------------------|--------------|
| NMAP003 | Laminate Flooring Installation Kit | 628204644037 |

### HEAVY DUTY QUICK RELEASE FLOOR JACK

- Designed to pull crooked or bowed flooring strips into place during installation
- Works on laminate, engineered and hardwood flooring
- Easy to use ratcheting mechanism



| ITEM    | DESCRIPTION                         | UPC          |
|---------|-------------------------------------|--------------|
| NMAP008 | Heavy Duty Quick Release Floor Jack | 628204644082 |

### HEAVY DUTY PULL AND PRY BAR

- Designed to close gaps and seams in hardwood, engineered and laminate floors without causing damage
- Solid steel construction; built tough for heavy daily use



| ITEM    | DESCRIPTION                 | UPC          |
|---------|-----------------------------|--------------|
| NMAP007 | Heavy Duty Pull and Pry Bar | 628204644075 |

**HONING STONE**

- Made from high quality materials to keep your cutter knives razor sharp and ready for use
- **Double-Sided;** Coarse side for keeping blades sharp. Fine side ideal for finishing and polishing the edge; perfect for light touch-ups to an already sharp cutter blade



| ITEM    | DESCRIPTION               | UPC          |
|---------|---------------------------|--------------|
| NMAP005 | Double Sided Honing Stone | 628204644051 |

**FLOORING INSTALLATION KNEE PADS**

- No mark, non-slip textured cap won't slip, roll, mark or damage surfaces when working on laminate or hardwood flooring, vinyl, concrete or tile flooring, during flooring installation projects.
- High quality soft foam padding and ergonomic lightweight design offer true knee support and protection while kneeling on hard and slippery surfaces
- Ideal for flooring and tiling of all types, in kitchens, garages, gardens, construction sites and handling roofing materials



| ITEM    | DESCRIPTION                     | UPC          |
|---------|---------------------------------|--------------|
| NMAP009 | Flooring Installation Knee Pads | 628204644099 |

**DIAMOND HOLE SAWS | TRADE**

- Diamond electroplating process allows for high performance at high speeds
- For use with handheld drills
- Includes drilling template; allows for accurate positioning

| ITEM     | DIAMETER       | SHANK              | UPC          |
|----------|----------------|--------------------|--------------|
| NDHST003 | 1/4" (6mm)     | 1/4" (Round Shank) | 628204618038 |
| NDHST008 | 3/8" (10mm)    | 1/4" (Round Shank) | 628204618083 |
| NDHST013 | 1/2" (12mm)    | 1/4" (Round Shank) | 628204618137 |
| NDHST018 | 3/4" (19mm)    | 1/4" (Round Shank) | 628204618182 |
| NDHST023 | 1" (24mm)      | 1/4" (Round Shank) | 628204618236 |
| NDHST028 | 1-1/4" (32mm)  | 1/4" (Round Shank) | 628204618281 |
| NDHST033 | 1-3/8" (35mm)  | 3/8" (Round Shank) | 628204618335 |
| NDHST038 | 1-1/2" (38mm)  | 3/8" (Round Shank) | 628204618380 |
| NDHST043 | 2" (50mm)      | 3/8" (Round Shank) | 628204618434 |
| NDHST048 | 2-1/2" (64mm)  | 1/2" (Round Shank) | 628204618489 |
| NDHST052 | 3-3/8" (85mm)  | 1/2" (Round Shank) | 628204618526 |
| NDHST054 | 3-5/8" (92mm)  | 1/2" (Round Shank) | 628204618540 |
| NDHST060 | 4-3/8" (110mm) | 1/2" (Round Shank) | 628204618601 |



**WARNING:** DO NOT USE with hammering tools or tools equipped with hammering mode

**DIAMOND HD HOLE SAWS | INDUSTRIAL**

- Utilizes high grade diamonds and heat-resistant vacuum brazing to deliver best-in-class performance for extreme bit life
- Engineered to stand up to the hardest, most abrasive materials on the job site
- For drilling holes in abrasive materials including tile, stone, glass, brick, block, and cement backer board



| ITEM     | DIAMETER      | SHANK | UPC          |
|----------|---------------|-------|--------------|
| NDHSI103 | 1/4" (6mm)    | 1/4"  | 628204619035 |
| NDHSI108 | 3/8" (10mm)   | 1/4"  | 628204619080 |
| NDHSI113 | 1/2" (12mm)   | 1/4"  | 628204619134 |
| NDHSI118 | 3/4" (19mm)   | 1/4"  | 628204619189 |
| NDHSI123 | 1" (24mm)     | 1/4"  | 628204619233 |
| NDHSI128 | 1 1/4" (32mm) | 1/4"  | 628204619288 |
| NDHSI133 | 1 3/8" (35mm) | 1/4"  | 628204619332 |
| NDHSI138 | 1 1/2" (38mm) | 1/4"  | 628204619387 |



**WARNING:** DO NOT USE with hammering tools or tools equipped with hammering mode

13 HOLE SAWS & MANDRELS

## A CUT ABOVE THE REST

Norske industrial grade M42 Bi-Metal hole saws are manufactured with 8% cobalt for increased wear resistance in the most demanding job applications. Enhanced 4/6 variable tooth geometry provides quick, clean cuts and easy chip removal while the Fleim ground tooth design delivers ultra-fast cutting. No matter what the job, Norske M42 Bi-Metal hole saws are guaranteed to outwork, outlast and outclass the competition.

**M42 BI-METAL HOLE SAWS | INDUSTRIAL**

- Enhanced 4/6 variable tooth geometry provides quick, clean cuts and easy chip removal
- Fleim ground tooth design for faster cutting
- Deep cut body allows for 1-7/8" cutting depth
- Thick, hardened backing plate prevents mandrel run out



| ITEM     | DIAMETER | UPC          |
|----------|----------|--------------|
| NBHSI502 | 3/4"     | 628204615020 |
| NBHSI503 | 7/8"     | 628204615037 |

| ITEM     | DIAMETER | UPC          |
|----------|----------|--------------|
| NBHSI505 | 1"       | 628204615051 |
| NBHSI508 | 1-1/8"   | 628204615082 |

| ITEM     | DIAMETER | UPC          |
|----------|----------|--------------|
| NBHSI511 | 1-1/4"   | 628204615112 |
| NBHSI514 | 1-3/8"   | 628204615143 |
| NBHSI517 | 1-1/2"   | 628204615174 |
| NBHSI519 | 1-5/8"   | 628204615198 |
| NBHSI520 | 1-3/4"   | 628204615204 |
| NBHSI523 | 1-7/8"   | 628204615235 |
| NBHSI526 | 2"       | 628204615266 |
| NBHSI529 | 2-1/8"   | 628204615297 |
| NBHSI532 | 2-1/4"   | 628204615327 |
| NBHSI535 | 2-3/8"   | 628204615358 |
| NBHSI538 | 2-1/2"   | 628204615389 |
| NBHSI540 | 2-5/8"   | 628204615402 |
| NBHSI541 | 2-3/4"   | 628204615419 |
| NBHSI542 | 2-7/8"   | 628204615426 |
| NBHSI544 | 3"       | 628204615440 |
| NBHSI547 | 3-1/8"   | 628204615471 |
| NBHSI550 | 3-1/4"   | 628204615501 |

| ITEM     | DIAMETER | UPC          |
|----------|----------|--------------|
| NBHSI551 | 3-3/8"   | 628204615518 |
| NBHSI553 | 3-1/2"   | 628204615532 |
| NBHSI556 | 3-5/8"   | 628204615563 |
| NBHSI559 | 3-3/4"   | 628204615594 |
| NBHSI562 | 3-7/8"   | 628204615624 |
| NBHSI565 | 4"       | 628204615655 |
| NBHSI568 | 4-1/8"   | 628204615686 |
| NBHSI571 | 4-1/4"   | 628204615716 |
| NBHSI574 | 4-1/2"   | 628204615747 |
| NBHSI575 | 4-3/4"   | 628204615754 |
| NBHSI577 | 5"       | 628204615778 |
| NBHSI578 | 5-1/4"   | 628204615785 |
| NBHSI579 | 5-1/2"   | 628204615792 |
| NBHSI580 | 6"       | 628204615808 |
| NBHSI581 | 6-1/4"   | 628204615815 |
| NBHSI584 | 6-5/8"   | 628204615846 |
| NBHSI588 | 7-7/8"   | 628204615884 |

**HOLE SAW MANDRELS | PROFESSIONAL**

- Quick-change mandrels feature double set screws with a recessed combination head
- Spring-loaded **Pozi-Lock** mandrels feature collars that automatically engage drive pins
- Complete with fully heat treated 1/4" split point pilot drill bit to provide faster material penetration & less walking

| ITEM     | DESCRIPTION                           | UPC          |
|----------|---------------------------------------|--------------|
| NBHSI656 | 1/4" Hex Shank Mandrel                | 628204616560 |
| NBHSI658 | 3/8" Hex Shank Mandrel                | 628204616584 |
| NBHSI660 | 3/8" Spring-loaded Pozi-Lock Mandrel  | 628204616607 |
| NBHSI662 | 7/16" Spring-loaded Pozi-Lock Mandrel | 628204616621 |



**HOLE SAW ACCESSORIES | PROFESSIONAL**

| ITEM     | DESCRIPTION                   | UPC          |
|----------|-------------------------------|--------------|
| NBHSI652 | 12" Extension Bar             | 628204616522 |
| NBHSI654 | Replacement Drill Bit (Short) | 628204616546 |
| NBHSI650 | Hole Saw Adapter              | 628204616508 |



**13PC M3 BI-METAL HOLE SAW KIT | PROFESSIONAL**

- M3 professional grade, Bi-Metal hole saws cut everything from wood and plastics to aluminum, steel, cast iron and stainless steel
- 4/6 TPI configuration allows for easy chip removal and faster, cleaner cuts
- Extra deep body allows for increased cutting depth
- 3/16" heavy duty backing plate adds strength & stability and prevents mandrel run-out
- Set includes: 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/2", 3" hole saws + 3/8" Quick Change Mandrel & 1/4" Hex Shank Mandrel



| ITEM     | DESCRIPTION                   | UPC          |
|----------|-------------------------------|--------------|
| NBHSP490 | 13PC M3 Bi-Metal Hole Saw Kit | 628204614900 |

14 **M42 THIN-WALL HOLE SAWS**

**M42 THIN-WALL HOLE SAWS | PROFESSIONAL**

- Made from premium grade M42 HSS containing 8% cobalt for increased wear resistance and added tooth strength
- Thin Wall 3TPI design provides faster burr-free cuts than standard bi-metal hole saws
- Optimized for applications in thin gauge metal up to 1/8" thick
- Stop shoulder design prevents over-drilling
- Ejection spring automatically ejects slugs to boost productivity
- 1/4" Quick Change Hex Shank for use with Impact Drivers

**NEW!**



**NEW!**  
**NEW!**  
**NEW!**  
**NEW!**  
**NEW!**  
**NEW!**  
**NEW!**

| ITEM     | DIAMETER | SHANK | UPC          |
|----------|----------|-------|--------------|
| NBHSI600 | 3/4"     | 1/4"  | 628204616003 |
| NBHSI602 | 7/8"     | 1/4"  | 628204616027 |
| NBHSI604 | 1"       | 1/4"  | 628204616041 |
| NBHSI606 | 1-1/8"   | 1/4"  | 628204616065 |
| NBHSI608 | 1-1/4"   | 1/4"  | 628204616089 |
| NBHSI610 | 1 3/8"   | 1/4"  | 628204616102 |
| NBHSI612 | 1 1/2"   | 1/4"  | 628204616126 |



**IMPACT RATED TITANIUM COATED DRILL BITS**

- Titanium coating withstands high temperatures, reduces friction, and increases wear resistance
- Drills clean, accurate holes in sheet metal, ducts, steel, copper, brass, aluminum, plastic, plexiglass, wood, veneers, vinyl siding, plasterboard & PVC
- 1/4" Hex Shank - Engineered for drills and impact drivers
- **IMPACT RATED** for **HEAVY DUTY USE**

| ITEM     | DESCRIPTION   | UPC          |
|----------|---|--------------|
| NIDBP200 | 1/16" Impact Drill Bit (2PC pack)   | 628204642002 |
| NIDBP202 | 3/32" Impact Drill Bit (2PC pack)   | 628204642026 |
| NIDBP204 | 1/8" Impact Drill Bit   | 628204642040 |
| NIDBP206 | 5/32" Impact Drill Bit  | 628204642064 |
| NIDBP208 | 3/16" Impact Drill Bit  | 628204642088 |
| NIDBP210 | 7/32" Impact Drill Bit  | 628204642101 |
| NIDBP212 | 1/4" Impact Drill Bit   | 628204642125 |
| NIDBP216 | 5/16" Impact Drill Bit  | 628204642163 |
| NIDBP220 | 3/8" Impact Drill Bit   | 628204642200 |
| NIDBP227 | 1/2" Impact Drill Bit   | 628204642279 |
| NIDBP280 | 12PC Titanium Coated Drill Bit Set (2 x 1/16", 2 X 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 1/2") | 628204642804 |



**IMPACT RATED TRI-FLUTE AUGER BITS**

- Self feeding screwpoint for fast boring any type of lumber
- Features a Tri-Flute design for faster chip ejection
- Cutting spurs for cleaner cutting edges
- 1/4" Hex Shank - Engineered for drills and impact drivers

| ITEM     | DESCRIPTION                                     | UPC          |
|----------|---|--------------|
| NIABP230 | 5/16" x 6-1/2" Auger Bit                        | 628204642309 |
| NIABP231 | 3/8" x 6-1/2" Auger Bit                         | 628204642316 |
| NIABP232 | 1/2" x 6-1/2" Auger Bit                         | 628204642323 |
| NIABP233 | 9/16" x 6-1/2" Auger Bit                        | 628204642330 |
| NIABP234 | 5/8" x 6-1/2" Auger Bit                         | 628204642347 |
| NIABP235 | 3/4" x 6-1/2" Auger Bit                         | 628204642354 |
| NIABP236 | 7/8" x 6-1/2" Auger Bit                         | 628204642361 |
| NIABP237 | 1" x 6-1/2" Auger Bit                           | 628204642378 |
| NIABP238 | 1-1/8" x 6-1/2" Auger Bit                       | 628204642385 |
| NIABP245 | 5PC Auger Bit Set (1/2", 5/8", 3/4", 7/8" & 1") | 628204642453 |
| NIABP246 | 3PC Auger Bit Set (5/8", 3/4" & 1")             | 628204642460 |
| NIABP243 | 6" Auger Bit Extension                          | 628204642439 |
| NIABP244 | 12" Auger Bit Extension                         | 628204642446 |



## UNI-FIT OSCILLATING ACCESSORIES



Norske™ **UNI FIT** oscillating accessories are designed to fit tightly on most major brands including...Bosch®, Fein®, Makita®, Rockwell®, Porter Cable®, Black & Decker®, DeWalt®, Dremel® and more. No matter what your project requires, Norske’s high-performance accessories provide that “just right” solution for hundreds of professional applications. Some brands may require adapter (N0TP241).

### WOOD FLUSH CUT

- Premium high carbon steel blades for superior cutting performance in wood, PVC, drywall and other soft materials
- Ideal for precision flush and plunge cutting; applications include trimming door jambs, installation of flooring, wall trim, shimming and more

| ITEM    | DESCRIPTION                              | UPC          |
|---------|--|--------------|
| N0TP200 | 3/4" Wood Flush Cut                      | 628204630009 |
| N0TP201 | 1-1/4" Wood Flush Cut                    | 628204630016 |
| N0TP209 | 1-1/2" Extra Long   Wood Flush Cut       | 628204630092 |
| N0TP210 | 2-3/4" Wood Flush Cut                    | 628204630108 |
| N0TP212 | 1-1/2" Quick Cut   Wood Flush Cut        | 628204630122 |
| N0TP271 | 1-1/4" Wood Flush Cut <b>(3PC Pack)</b>  | 628204630719 |
| N0TP276 | 1-1/4" Wood Flush Cut <b>(10PC Pack)</b> | 628204630764 |
| N0TP281 | 3PC Wood Flush Cut Variety Pack          | 628204630818 |



### JAPANESE TOOTH | HARDWOOD FLUSH CUT

- Aggressive Japanese Tooth pattern is ideal for all flush and plunge cutting applications in hardwoods
- Bi-Metal with hardened teeth for extended blade life

| ITEM    | DESCRIPTION                                       | UPC          |
|---------|---|--------------|
| N0TP202 | 1-1/4" Japanese Tooth Bi-Metal                    | 628204630023 |
| N0TP207 | 1-1/4" <b>Power Curve</b> Japanese Tooth Bi-Metal | 628204630078 |
| N0TP211 | 2-3/4" Japanese Tooth Bi-Metal                    | 628204630115 |
| NRBP213 | 3" Japanese Tooth HCS                             | 628204630139 |
| N0TP273 | 1-1/4" Japanese Tooth Bi-Metal <b>(3PC Pack)</b>  | 628204630733 |
| N0TP274 | 2-3/4" Japanese Tooth Bi-Metal <b>(3PC Pack)</b>  | 628204630740 |
| N0TP278 | 1-1/4" Japanese Tooth Bi-Metal <b>(10PC Pack)</b> | 628204630788 |
| N0TP279 | 2-3/4" Japanese Tooth Bi-Metal <b>(10PC Pack)</b> | 628204630795 |
| N0TP280 | 3PC Japanese Tooth Variety Pack                   | 628204630801 |



**WOOD + METAL FLUSH CUT**

- High-performance Bi-Metal blades feature an ultra-hardened cutting edge providing superior performance in wood, non-ferrous metals, wood with nails, thin sheet metal, PVC, drywall and plastic
- Ideal for precision flush and plunge cutting

| ITEM    | DESCRIPTION  | UPC          |
|---------|--|--------------|
| NOTP203 | 1-1/4" Wood + Metal Flush Cut ( <b>Titanium</b> )    | 628204630030 |
| NOTP204 | 1-1/4" Metal Flush Cut                               | 628204630047 |
| NOTP208 | 1-1/2" Wood with Nails Flush Cut ( <b>Titanium</b> ) | 628204630085 |
| NOTP272 | 1-1/4" Wood + Metal Flush Cut ( <b>3PC Pack</b> )    | 628204630726 |
| NOTP277 | 1-1/4" Wood + Metal Flush Cut ( <b>10PC Pack</b> )   | 628204630771 |
| NOTP282 | 3PC Wood + Metal Variety Pack                        | 628204630825 |



**CARBIDE FLUSH CUT**

- High performance CARBIDE cutting edge delivers maximum durability and superior cutting life in general purpose cuts
- Exceptional cutting performance in wood with nails, sheet metal, aluminum, copper, screws, fiber cement board, plasterboard and plastic

| ITEM    | DESCRIPTION                                  | UPC          |
|---------|--|--------------|
| NOTP205 | 1-1/4" Carbide Flush Cut                     | 628204630054 |
| NOTP283 | 1-1/4" Carbide Flush Cut ( <b>3PC Pack</b> ) | 628204630832 |



**SEGMENTED WOOD + METAL FLUSH CUT**

- High-performance Bi-Metal blade features an ultra-hardened cutting edge providing superior cutting performance in wood, thin sheet metal, non-ferrous metals, wood with nails, PVC, drywall and plastic
- Titanium Nitride Coating for faster cuts and extended blade life
- Segmented blade design offers versatile cutting applications including long, straight cuts

| ITEM    | DESCRIPTION                                      | UPC          |
|---------|--|--------------|
| NOTP215 | 4" Wood with Nails Flush Cut ( <b>Titanium</b> ) | 628204630153 |



**POWER CURVE WOOD + METAL PLUNGE CUT**

- High-performance Bi-Metal blades feature an ultra-hardened cutting edge providing superior cutting performance in wood, non-ferrous metals, wood with nails, thin sheet metal, PVC, drywall and plastic
- **POWER CURVE** design – features a rounded edge for precise control during plunge cuts

| ITEM    | DESCRIPTION   | UPC          |
|---------|---|--------------|
| NOTP206 | 1-1/4" <b>Power Curve</b> Wood + Metal Plunge Cut                     | 628204630061 |
| NOTP284 | 1-1/4" <b>Power Curve</b> Wood + Metal Plunge Cut ( <b>3PC Pack</b> ) | 628204630849 |



### POWER CURVE SOFT METAL FLUSH CUT

- High-performance Bi-Metal blade features an ultra-hardened cutting edge providing superior cutting performance in non-ferrous metals
- **POWER CURVE** design – Unique concave edge provides greater control and easier starts while cutting non-ferrous metal tubing controlled cuts on tubular metals

| ITEM    | DESCRIPTION                                    | UPC          |
|---------|--|--------------|
| NOTP214 | 1-1/4" <b>Power Curve</b> Soft Metal Flush Cut | 628204630146 |



### QUADRUPLE EDGE BLADE

- **4 BI-METAL CUTTING EDGES** for applications including wood, non-ferrous metals, thin sheet metal, drywall and plastic
- Ideal for linear, flush and plunge cutting
- Large flat surface allows for easy access into corners

| ITEM    | DESCRIPTION          | UPC          |
|---------|----------------------|--------------|
| NOTP216 | Quadruple Edge Blade | 628204630160 |



### DRYWALL CUTTING BLADE

- Manufactured from premium High Carbon Steel
- Unique blade design ideal for precision plunge & general purpose cutting in drywall

| ITEM    | DESCRIPTION                             | UPC          |
|---------|---|--------------|
| NOTP217 | Drywall Cutting Blade                   | 628204630177 |
| NOTP285 | Drywall Cutting Blade <b>(3PC Pack)</b> | 628204630856 |



### CAULKING SCRAPER BLADE

- Unique tapered design perfect for tight areas
- Used to remove caulking and joint sealants

| ITEM    | DESCRIPTION                              | UPC          |
|---------|--|--------------|
| NOTP229 | Caulking Scraper Blade                   | 628204630290 |
| NOTP286 | Caulking Scraper Blade <b>(3PC Pack)</b> | 628204630863 |



### FLEXIBLE SCRAPER BLADE

- High-carbon steel edge used to remove old elastic sealants, paint and adhesive residues
- Helps remove wallpaper and worn gaskets

| ITEM    | DESCRIPTION            | UPC          |
|---------|------------------------|--------------|
| NOTP230 | Flexible Scraper Blade | 628204630308 |



**TRIANGLE CARBIDE RASP**

- Ideal for aggressive material removal in small, tight areas
- Used to rasp wood, hardened adhesives, thin set, mortar and masonry

| ITEM    | DESCRIPTION           | UPC          |
|---------|-----------------------|--------------|
| NOTP231 | Triangle Carbide RASP | 628204630313 |



**FAST CUT GROUT REMOVAL BLADE**

- Carbide grit quickly removes grout lines and joints on wall and floor tiles
- Segmented blade design for quick removal of grout between tiles

| ITEM    | DESCRIPTION            | UPC          |
|---------|------------------------|--------------|
| NOTP232 | Fast Cut Grout Removal | 628204630320 |



**TEAR DROP GROUT AND MORTAR REMOVAL BLADE**

- Designed to remove grout, cut and shape plaster, concrete and masonry
- Ideal for coarse grinding or rasping and aggressive material removal
- Quick removal of grout between tiles

| ITEM    | DESCRIPTION                             | UPC          |
|---------|---|--------------|
| NOTP235 | Teardrop Grout and Mortar Removal Blade | 628204630351 |



**MULTI-MATERIAL BLADE**

- Manufactured from premium High Carbon Steel
- Ideal for cutting asphalt shingles, thin PVC floors, carpet & padding, roofing fabric & foam insulation

| ITEM    | DESCRIPTION          | UPC          |
|---------|----------------------|--------------|
| NOTP233 | Multi-Material Blade | 628204630337 |



**3-IN-1 CUTTING, SCRAPER AND RASPING**

- UNIQUE 3-IN-1 Design is ideal for cutting wood & metal, scraping paint & adhesives and removing grout & mortar

| ITEM    | DESCRIPTION                         | UPC          |
|---------|-------------------------------------|--------------|
| NOTP236 | 3-IN-1 Cutting, Scraper and Rasping | 628204630368 |



### 3-IN-1 RIGID SCRAPER & KNIVES

- Ideal for cutting asphalt shingles, thin PVC floors, carpet & padding, roofing fabric & foam insulation
- Removes old paint and residues from glues and adhesives

| ITEM    | DESCRIPTION                   | UPC          |
|---------|-------------------------------|--------------|
| NOTP237 | 3-IN-1 Rigid Scraper & Knives | 628204630375 |



### SANDING

- Ideal for detail sanding in small areas and corners
- Hook and loop back; for use with Norske sanding sheets
- Multi-piece pack includes 5 X 80G, 5 X 120G and 5 X 220G sanding sheets

| ITEM    | DESCRIPTION                         | UPC          |
|---------|-------------------------------------|--------------|
| NOTP234 | Hook and Loop Pad                   | 628204630344 |
| NOTP240 | Assorted Sandpaper - Wood (15 Pack) | 628204630405 |



### C-CLIP ADAPTER

- Allows use of UNI-FIT OTA's with BOSCH® (MX30E, MXH180B) and DREMEL (MM40, MM45) tool-free oscillating multi-tools

| ITEM    | DESCRIPTION    | UPC          |
|---------|----------------|--------------|
| NOTP241 | C-Clip Adapter | 628204630412 |



### 6 PC GENERAL PURPOSE OTA SET

**NEW!**

| ITEM    | DESCRIPTION                  | UPC          |
|---------|------------------------------|--------------|
| NOTP267 | 6 PC General Purpose OTA Set | 628204630757 |

- **Set Includes:** 3/4" Wood Flush Cut, 1-1/4" Wood Flush Cut Blade, 1-1/4" Japanese Tooth Bi-Metal Blade, 2-3/4" Japanese Tooth Bi-Metal Blade, 1-1/4" Wood / Metal Flush Cut Bi-Metal Blade (TiC\*), 1-3/4" Wood / Metal Flush Cut Bi-Metal Blade (TiC\*)

**NEW!**



### 10 PC BATHROOM RENO OTA SET

**NEW!**

| ITEM    | DESCRIPTION                 | UPC          |
|---------|-----------------------------|--------------|
| NOTP269 | 10 PC Bathroom Reno OTA Set | 628204630757 |

- **Set Includes:** Caulking Blade, 2" Flexible Scraper Blade, 3-5/8" Carbide Grit Rasp, 3-5/8" Carbide Grit Grout Blade, Hook and Loop Sanding Pad, 5 X 120G Hook and Loop Sandpaper

**NEW!**



**10 PC HANDYMAN ESSENTIALS OTA SET**

**NEW!**

| ITEM    | DESCRIPTION                       | UPC          |
|---------|-----------------------------------|--------------|
| NOTP268 | 10 PC Handyman Essentials OTA Set | 628204630757 |

- **Set Includes:** 3/4" Wood Flush Cut, 1-1/4" Wood Flush Cut Blade, 1-1/4" Japanese Tooth Bi-Metal Blade, 2-3/4" Japanese Tooth Bi-Metal Blade, 1-1/4" Wood / Metal Flush Cut Bi-Metal Blade [TiC\*], 1-1/4" Carbide Flush Cut, 4" Wood with Nails Flush Cut Blade [TiC\*], 2" Flexible Scraper Blade, Caulking Blade, Multi-Material Blade

**NEW!**



**12 PC CONTRACTOR OSCILLATING OTA SET**

| ITEM    | DESCRIPTION                          | UPC          |
|---------|--------------------------------------|--------------|
| NOTP275 | 12 PC Contractor Oscillating OTA Set | 628204630757 |

- **Set Includes:** 2 X 1-1/4" Japanese Tooth Bi-Metal Blade, 3 X 1-1/4" Wood / Metal Flush Cut Blade [TiC\*], 1-1/4" Carbide Blade, 3 X 1-3/4" Wood / Metal Flush Cut Blade [TiC\*], 2 X 2-3/4" Japanese Tooth Bi-Metal Blade, 4" Wood with Nails Flush Cut Blade [TiC\*]



**10 PACK | 3 PC OSCILLATING ACCESSORY PACKS**

- High-performance blades feature an ultra-hardened cutting edge providing superior performance

**NEW!**

| ITEM     | DESCRIPTION  | UPC          |
|----------|--|--------------|
| NOTP272M | <b>10 PACK</b>   1-1/4" Wood/Metal Flush Cut Blades (3 PC)           | 628204632027 |
| NOTP274M | <b>10 PACK</b>   2-3/4" Japanese Tooth Bi-Metal Blades (3 PC)        | 628204632041 |
| NOTP280M | <b>10 PACK</b>   Various Japanese Tooth Bi-Metal Blades (3 PC)       | 628204632102 |
| NOTP282M | <b>10 PACK</b>   Various Wood/Metal Flush Cut Bi-Metal Blades (3 PC) | 628204632126 |

**NEW!**

**NEW!**

**NEW!**

**NEW!**

COMING SOON!

# STARLOCK® OSCILLATING ACCESSORIES



Norske™ Starlock® oscillating accessories deliver a three-dimensional fit designed to provide a completely integrated system between oscillating tool and accessory. Norske oscillating accessories are German made for precision accuracy and long life in the most demanding professional applications.

## STARLOCK® OSCILLATING ACCESSORIES

- Featuring STARLOCK® mounting system. Fits a variety of major brands including...Fein, Bosch, Makita, Milwaukee, Rockwell, Ridgid, Hitachi, Skil, Craftsman and more
- Made from superior grade materials for extended life in all applications while delivering job site durability
- Up to 35% faster work progress
- Made in **GERMANY**



## STARLOCK

| ITEM     | DESCRIPTION                           | UPC          |
|----------|---------------------------------------|--------------|
| NOTSL300 | 1-3/8" Wood with Nails                | 628204631006 |
| NOTSL301 | 1-3/8" Japanese Tooth Hard Wood       | 628204631013 |
| NOTSL302 | 3-3/8" Segmented Wood                 | 628204631020 |
| NOTSL303 | Circular HSS Blade Metal              | 628204631037 |
| NOTSL304 | 3" Segmented Diamond Blade            | 628204631044 |
| NOTSL330 | Flexible Scraper Blade                | 628204631303 |
| NOTSL331 | Triangular Carbide RASP               | 628204631310 |
| NOTSL332 | Backing Sanding Pad <b>[2PC Pack]</b> | 628204631327 |
| NOTSL382 | 5PC Sandpaper Pack   60 Grit          | 628204631822 |
| NOTSL384 | 5PC Sandpaper Pack   120 Grit         | 628204631846 |
| NOTSL386 | 5PC Sandpaper Pack   180 Grit         | 628204631860 |

## STARLOCK PLUS

| ITEM      | DESCRIPTION                      | UPC          |
|-----------|----------------------------------|--------------|
| NOTSLP340 | 4" Segmented Blade Metal         | 628204631402 |
| NOTSLP341 | 2-9/16" Wood with Nails          | 628204631419 |
| NOTSLP342 | 2-9/16" Japanese Tooth Hard Wood | 628204631426 |
| NOTSLP343 | 1-1/8" Wood & Thin Metal         | 628204631433 |
| NOTSLP344 | 3-9/16" Carbide Saw Blade        | 628204631440 |

## STARLOCK MAX

| ITEM      | DESCRIPTION            | UPC          |
|-----------|------------------------|--------------|
| NOTSLM365 | 1-1/4" Wood with Nails | 628204631655 |
| NOTSLM366 | 1-5/8" Wood with Nails | 628204631662 |



# IMPACT TORSION

## DRIVER BITS & ACCESSORIES

NORSKE™ IMPACT TORSION driver bits and accessories are engineered to meet the rigorous demands of professional and industrial users. The optimized **FLEX TECH TORSION ZONE** flexes under load to take pressure off the bit tip and reduce bit fracture resulting in less breakage. Our Proprietary tool steel and heat treatment process provides maximum strength and durability to handle a new generation of higher torque impact.

Innovatively designed **FLEX TECH TORSION ZONE** absorbs high torque stress and reduces bit fracture



CNC milled magnetic tip engineered to prevent "cam-out" and stripping

Hardened S2 Modified Impact Resistant Steel for extended bit life



### SQUARE RECESS (BULK)

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI003 | #1   | 1"     | 62820462203  |
| NIBBI004 | #2   | 1"     | 628204622042 |
| NIBBI005 | #3   | 1"     | 62820462205  |
| NIBBI010 | #0   | 2"     | 628204622103 |
| NIBBI006 | #1   | 2"     | 628204622066 |
| NIBBI007 | #2   | 2"     | 628204622073 |
| NIBBI008 | #3   | 2"     | 628204622080 |
| NIBBI009 | #4   | 2"     | 628204622097 |
| NIBBI015 | #1   | 3-1/2" | 628204622158 |
| NIBBI016 | #2   | 3-1/2" | 628204622165 |
| NIBBI017 | #3   | 3-1/2" | 628204622172 |

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI040 | #1   | 6"     | 628204622400 |
| NIBBI041 | #2   | 6"     | 628204622417 |
| NIBBI042 | #3   | 6"     | 628204622424 |
| NIBBI045 | #1   | 12"    | 628204622455 |
| NIBBI046 | #2   | 12"    | 628204622462 |
| NIBBI047 | #3   | 12"    | 628204622479 |

### SQUARE RECESS DECKING (BULK)

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI012 | #2   | 2"     | 628204622127 |
| NIBBI021 | #2   | 3-1/2" | 628204622219 |
| NIBBI043 | #2   | 6"     | 628204622431 |

### SQUARE RECESS DECKING BIT



**3° TIP DESIGN** offers a perfect fit with coated deck screws



**PHILLIPS (BULK)**

| ITEM     | SIZE          | LENGTH | UPC          |
|----------|---------------|--------|--------------|
| NIBBI052 | #1            | 1"     | 628204622523 |
| NIBBI053 | #2            | 1"     | 628204622530 |
| NIBBI054 | PR2 (DRYWALL) | 1"     | 628204622547 |
| NIBBI055 | #3            | 1"     | 628204622554 |
| NIBBI058 | #1            | 2"     | 628204622585 |
| NIBBI059 | #2            | 2"     | 628204622592 |
| NIBBI060 | PR2 (DRYWALL) | 2"     | 628204622608 |
| NIBBI061 | #3            | 2"     | 628204622615 |

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI068 | #1   | 3-1/2" | 628204622684 |
| NIBBI069 | #2   | 3-1/2" | 628204622691 |
| NIBBI070 | #3   | 3-1/2" | 628204622707 |
| NIBBI076 | #1   | 6"     | 628204622769 |
| NIBBI077 | #2   | 6"     | 628204622776 |
| NIBBI078 | #3   | 6"     | 628204622783 |
| NIBBI085 | #2   | 12"    | 628204622851 |


**PHILLIPS SQUARE COMBO BIT (BULK)**

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI190 | #2   | 1"     | 628204623902 |
| NIBBI192 | #2   | 2"     | 628204623926 |



**DIMPLER BITS (BULK)**

| ITEM     | SIZE    | LENGTH | UPC          |
|----------|---------|--------|--------------|
| NIBBI049 | (SQ) #2 | 2"     | 628204622493 |
| NIBBI090 | (PH) #2 | 1"     | 628204622905 |
| NIBBI093 | (PH) #2 | 2"     | 628204622936 |



**MAGNETIC DIMPLER BIT (BULK)**

| ITEM     | SIZE    | LENGTH | UPC          |
|----------|---------|--------|--------------|
| NIBBI050 | (SQ) #2 | 2"     | 628204622509 |
| NIBBI095 | (PH) #2 | 2"     | 628204622950 |





**TORX (BULK)**

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI101 | 1"   | T10    | 628204623018 |
| NIBBI102 | 1"   | T15    | 628204623025 |
| NIBBI103 | 1"   | T20    | 628204623032 |
| NIBBI104 | 1"   | T25    | 628204623049 |
| NIBBI105 | 1"   | T30    | 628204623056 |
| NIBBI106 | 1"   | T40    | 628204623063 |
| NIBBI111 | 2"   | T10    | 628204623117 |
| NIBBI112 | 2"   | T15    | 628204623124 |
| NIBBI113 | 2"   | T20    | 628204623131 |
| NIBBI114 | 2"   | T25    | 628204623148 |
| NIBBI117 | 2"   | T27    | 628204623179 |
| NIBBI115 | 2"   | T30    | 628204623155 |
| NIBBI116 | 2"   | T40    | 628204623162 |

| ITEM     | SIZE   | LENGTH | UPC          |
|----------|--------|--------|--------------|
| NIBBI121 | 3-1/2" | T10    | 628204623216 |
| NIBBI122 | 3-1/2" | T15    | 628204623223 |
| NIBBI123 | 3-1/2" | T20    | 628204623230 |
| NIBBI124 | 3-1/2" | T25    | 628204623247 |
| NIBBI125 | 3-1/2" | T30    | 628204623254 |
| NIBBI126 | 3-1/2" | T40    | 628204623261 |
| NIBBI131 | 6"     | T10    | 628204623315 |
| NIBBI132 | 6"     | T15    | 628204623322 |
| NIBBI133 | 6"     | T20    | 628204623339 |
| NIBBI134 | 6"     | T25    | 628204623346 |
| NIBBI135 | 6"     | T30    | 628204623353 |
| NIBBI136 | 6"     | T40    | 628204623360 |
| NIBBI143 | 12"    | T20    | 628204623438 |
| NIBBI144 | 12"    | T25    | 628204623445 |



**SECURITY TORX (BULK)**

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI151 | 2"   | T10    | 628204623513 |
| NIBBI152 | 2"   | T15    | 628204623520 |
| NIBBI153 | 2"   | T20    | 628204623537 |

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI154 | 2"   | T25    | 628204623544 |
| NIBBI155 | 2"   | T30    | 628204623551 |
| NIBBI156 | 2"   | T40    | 628204623568 |



**HEX (BULK)**

| ITEM     | SIZE  | LENGTH | UPC          |
|----------|-------|--------|--------------|
| NIBBI160 | 1/8"  | 2"     | 628204623605 |
| NIBBI161 | 5/32" | 2"     | 628204623612 |
| NIBBI162 | 3/16" | 2"     | 628204623629 |
| NIBBI163 | 7/32" | 2"     | 628204623636 |
| NIBBI164 | 1/4"  | 2"     | 628204623643 |

| ITEM     | SIZE  | LENGTH | UPC          |
|----------|-------|--------|--------------|
| NIBBI165 | 2.5mm | 2"     | 628204623650 |
| NIBBI166 | 3mm   | 2"     | 628204623667 |
| NIBBI167 | 4mm   | 2"     | 628204623674 |
| NIBBI168 | 5mm   | 2"     | 628204623681 |
| NIBBI169 | 6mm   | 2"     | 628204623698 |



**SLOTTED (BULK)**

| ITEM     | SIZE   | LENGTH | UPC          |
|----------|--------|--------|--------------|
| NIBBI181 | SL8-10 | 1"     | 628204623810 |

| ITEM     | SIZE   | LENGTH | UPC          |
|----------|--------|--------|--------------|
| NIBBI186 | SL8-10 | 2"     | 628204623865 |



**DOUBLE-ENDED BITS (BULK)**

| ITEM     | SIZE | LENGTH  | UPC          |
|----------|------|---------|--------------|
| NIBBI201 | PH2  | 2-9/16" | 628204624015 |
| NIBBI202 | PH2  | 4"      | 628204624022 |

| ITEM     | SIZE | LENGTH  | UPC          |
|----------|------|---------|--------------|
| NIBBI203 | PH2  | 6"      | 628204624039 |
| NIBBI212 | T25  | 2-9/16" | 628204624121 |

**NUT DRIVERS (BULK)**

| ITEM     | SIZE  | LENGTH  | UPC          |
|----------|-------|---------|--------------|
| NIBBI220 | 1/4"  | 2-9/16" | 628204624206 |
| NIBBI221 | 5/16" | 2-9/16" | 628204624213 |
| NIBBI222 | 3/8"  | 2-9/16" | 628204624220 |
| NIBBI223 | 7/16" | 2-9/16" | 628204624237 |
| NIBBI224 | 1/2"  | 2-9/16" | 628204624244 |
| NIBBI225 | 9/16" | 2-9/16" | 628204624251 |
| NIBBI226 | 1/4"  | 6"      | 628204624268 |
| NIBBI227 | 5/16" | 6"      | 628204624275 |
| NIBBI228 | 3/8"  | 6"      | 628204624282 |
| NIBBI229 | 7/16" | 6"      | 628204624299 |
| NIBBI230 | 1/2"  | 6"      | 628204624305 |

**NUT DRIVERS**

Strong earth magnet provides exceptional holding strength



Recessed corners drives fasteners on the flat

**DETACHABLE NUT DRIVERS**

| ITEM     | SIZE   | UPC          |
|----------|--|--------------|
| NIBPI710 | 5PC SET: 2 X 3" Shafts   1/4", 5/16", 3/8" Sleeves                       | 628204629102 |
| NIBPI711 | 7PC SET: 1 X 3" + 1 X 6" Shafts   1/4", 5/16", 3/8", 7/16", 1/2" Sleeves | 628204629119 |

- Removable sockets allow for easy cleaning of the magnet
- Reduced debris buildup helps extend the product life
- Strong earth magnet provides exceptional holding strength
- Recessed corners drives fasteners on the flat
- Black oxide finish to protect against corrosion

**DETACHABLE NUT DRIVERS**



**SOCKET ADAPTERS (BULK)**

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBBI250 | 1/4" | 3"     | 628204624503 |
| NIBBI251 | 3/8" | 3"     | 628204624510 |
| NIBBI252 | 1/2" | 3"     | 628204624527 |
| NIBBI253 | 1/4" | 6"     | 628204624534 |
| NIBBI254 | 3/8" | 6"     | 628204624541 |
| NIBBI261 | 1/2" | 6"     | 628204624619 |

**SOCKET ADAPTERS**



**MAGNETIC FLOAT COLLAR SCREW HOLDER**

| ITEM     | SIZE | PACK TYPE  | UPC          |
|----------|------|------------|--------------|
| NIBBI256 | SQ2  | Bulk       | 628204624565 |
| NIBCI330 | SQ2  | 2PC Carded | 628204625302 |
| NIBBI257 | PH2  | Bulk       | 628204624572 |
| NIBCI331 | PH2  | 2PC Carded | 628204625319 |
| NIBBI258 | T25  | Bulk       | 628204624589 |
| NIBBI260 | T20  | Bulk       | 628204624602 |

**MAGNETIC FLOAT COLLAR SCREW HOLDER**



**2PC ASSORTED TORSION BITS (CARDED)**



| ITEM                    | SIZE          | LENGTH  | UPC          |
|-------------------------|---------------|---------|--------------|
| NIBCI316                | SQ2           | 2"      | 628204625166 |
| NIBCI318                | SQ2 (Decking) | 2"      | 628204625180 |
| NIBCI320                | PH2           | 2"      | 628204625203 |
| NIBCI358                | T15           | 2"      | 628204625586 |
| NIBCI360                | T25           | 2"      | 628204625609 |
| NIBCI380 (DOUBLE ENDED) | SQ2           | 2-9/16" | 628204625807 |
| NIBCI381 (DOUBLE ENDED) | SQ2 (Decking) | 2-9/16" | 628204625814 |
| NIBCI321                | SPIDER DRIVE  | 2"      | 628204625210 |
| NIBCI361                | SPAX T50      | 2"      | 628204625616 |
| NIBCI362                | SPAX T50      | 3-1/2"  | 628204625623 |

# STAR DRIVE

## FOR GRK™ SCREWS

Manufactured specifically to fit **GRK™** Star Drive screws



### STAR DRIVE FOR GRK SCREWS (2PC CARDED)

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBCI370 | T10  | 2"     | 628204625708 |
| NIBCI371 | T15  | 2"     | 628204625715 |
| NIBCI372 | T20  | 2"     | 628204625722 |
| NIBCI373 | T25  | 2"     | 628204625739 |
| NIBCI374 | T30  | 2"     | 628204625746 |
| NIBCI375 | T40  | 2"     | 628204625753 |

# REDUCED SHANK

Specially designed for **DOOR LOCK INSTALLATION**



### REDUCED SHANK (1PC CARDED)

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBCI322 | SQ2  | 6"     | 628204625227 |
| NIBCI323 | PH2  | 6"     | 628204625234 |

- Reduced round shank and tip to prevent scoring of door lock
- Dynamically balanced to reduce vibration
- 6" Length for deeper driving



### IMPACT TORSION TIC TAC CASES (20PCS PER PACK)

| ITEM     | SIZE | LENGTH | UPC          |
|----------|------|--------|--------------|
| NIBPI660 | PH2  | 1"     | 628204628600 |
| NIBPI661 | T25  | 1"     | 628204628617 |
| NIBPI662 | T20  | 1"     | 628204628624 |

**IMPACT TORSION BIT CLIPS**



| ITEM     | DESCRIPTION  | UPC          |
|----------|--|--------------|
| NIBPI600 | 1" - 10PCS X PH2   | 628204628006 |
| NIBPI601 | 1" - 10PCS - 2 each of T10, T15, T20, T25, T30                         | 628204628013 |
| NIBPI605 | 2" - 10PCS X SQ2 (Non-impact, Black Satin)                             | 628204628051 |
| NIBPI606 | 2" - 10PCS X SQ2   | 628204628068 |
| NIBPI607 | 2" - 10PCS X SQ2 Decking   | 628204628075 |
| NIBPI611 | 2" - 10PCS X PH2   | 628204628112 |
| NIBPI612 | 2" Assorted (2pc PH 1, 4pcs of PH 2, 2pcs of PH3 & 2pcs PR20) Bit Clip | 628204628129 |
| NIBPI613 | 2" Assorted (PH1, 2, 2, 3, PR2, T10, T15, T20, T25 and T30) Bit Clip   | 628204628136 |
| NIBPI614 | 2" Assorted Torx ( T10, T15, T20, T25, T30)                            | 628204628143 |
| NIBPI615 | 2" Assorted Torx (5 X T20 and 5 X T25)                                 | 628204628150 |
| NIBPI616 | 2" Assorted Torx Tamper (TT7, 8, 9, 10, 15, 20, 25, 27, 30, 40)        | 628204628167 |
| NIBPI617 | 2" Assorted (SQ1, 2, 3, PH 1, 2, 3, PR2, T15, T20, T25)                | 628204628174 |
| NIBPI618 | 2" Assorted (1 X SQ1, 3 X SQ2, 2 X SQ3, PH1, PH2, PH3, PR2)            | 628204628181 |
| NIBPI619 | 2" Assorted Modified Torx for GRK Screws                               | 628204628198 |
| NIBPI650 | 5PC Nutsetter (1/4", 5/16", 3/8", 7/16", 1/2")                         | 628204628501 |
| NIBPI651 | 5PC Nutsetter (6mm, 8mm, 10mm, 11mm, 12mm)                             | 628204628518 |

| ITEM     | DESCRIPTION   | UPC          |
|----------|---|--------------|
| NIBPI620 | 3-1/2" Assorted Modified Torx for GRK Screws                    | 628204628204 |
| NIBPI630 | 3-1/2" - 5PCS X PH2   | 628204628303 |
| NIBPI631 | 3-1/2" - 5PCS Assorted (PH1, 3 X PH2, PH3)                      | 628204628310 |
| NIBPI632 | 3-1/2" - 5PCS Assorted (T10, 15, 20, 25, 30)                    | 628204628327 |
| NIBPI633 | 3-1/2" - 5PCS of No.2 SQ Bit Clip                               | 628204628334 |
| NIBPI634 | 3-1/2" 5PCS Assorted (SQ1, 3 X SQ2, SQ3)                        | 628204628341 |
| NIBPI635 | 3-1/2" Assorted (3pcs of No.2SQ, 2pcs of No.2 Decking) Bit Clip | 628204628358 |
| NIBPI636 | 6" - 3PCS X PH2   | 628204628365 |
| NIBPI637 | 6" - 3PCS Assorted (PH1, PH2, PH3)                              | 628204628372 |
| NIBPI638 | 6" - 3PCS X T25   | 628204628389 |
| NIBPI639 | 6" - 3PCS X SQ2   | 628204628396 |
| NIBPI640 | 6" - 3PCS Assorted (SQ1, SQ2, SQ3)                              | 628204628402 |
| NIBPI641 | 6" 3PCS Assorted (2 X SQ2, 1 X SQ2 Decking)                     | 628204628419 |

**IMPACT TORSION BIT CLIPS | 10PC 10 PACK**

| ITEM      | DESCRIPTION   | UPC          |
|-----------|---|--------------|
| NIBPI606M | 2" 10PCS X SQ2 (10 Pack)  | 628204629805 |
| NIBPI607M | 2" 10PCS X SQ2 Decking (10 Pack)                                      | 628204629812 |
| NIBPI611M | 2" 10PCS X PH2 (10 Pack)  | 628204629829 |
| NIBPI613M | 2" Assorted (PH1, 2, 2, 3, PR2, T10, T15, T20, T25, T30) (10 Pack)    | 628204629836 |
| NIBPI614M | 2" Assorted Torx ( T10, T15, T20, T25, T30) (10 Pack)                 | 628204629843 |
| NIBPI618M | 2" Assorted (1 X SQ1, 3 X SQ2, 2 X SQ3, PH1, PH2, PH3, PR2) (10 Pack) | 628204629850 |
| NIBPI650M | 5PC Nutsetter (1/4", 5/16", 3/8", 7/16", 1/2") (10 Pack)              | 628204629867 |



IMPACT TORSION BIT **COOKIE JAR PACKS**

| ITEM      | DESCRIPTION  | UPC          |
|-----------|--|--------------|
| NIBBI016M | 3-1/2" SQ2 (100PC Pack in Jar)                             | 628204629874 |
| NIBBI069M | 3-1/2" PH2 (100PC Pack in Jar)                             | 628204629881 |
| NIBBI123M | 3-1/2" T20 (100PC Pack in Jar)                             | 628204629898 |
| NIBBI124M | 3-1/2" T25 (100PC Pack in Jar)                             | 628204629904 |
| NIBBI256M | SQ2 Magnetic Float Collar Screw Holder (150PC Pack in Jar) | 628204629911 |
| NIBBI257M | PH2 Magnetic Float Collar Screw Holder (150PC Pack in Jar) | 628204629928 |
| NIBBI258M | T25 Magnetic Float Collar Screw Holder (150PC Pack in Jar) | 628204629935 |
| NIBBI220M | 2-9/16" x 1/4" Nutsetter (100PC Pack in Jar)               | 628204629942 |
| NIBBI221M | 2-9/16" x 5/16" Nutsetter (100PC Pack in Jar)              | 628204629959 |
| NIBBI222M | 2-9/16" x 3/8" Nutsetter (100PC Pack in Jar)               | 628204629966 |



**HEAVY DUTY MAGNETIC BIT & SCREW HOLDERS**

| ITEM     | SIZE | PACK TYPE | UPC          |
|----------|------|-----------|--------------|
| NIBBI245 | 3"   | Bulk      | 628204624459 |
| NIBCI325 | 3"   | Carded    | 628204625258 |
| NIBBI246 | 6"   | Bulk      | 628204624466 |
| NIBBI247 | 12"  | Bulk      | 628204624473 |

**HEAVY-DUTY**  
MAGNETIC BIT & SCREW HOLDERS

Fits ALL 1" 1/4" hex shank screwdriver insert bits

**12" FLEXIBLE MAGNETIC BIT & SCREW HOLDER**

| ITEM     | SIZE | PACK TYPE | UPC          |
|----------|------|-----------|--------------|
| NIBCI328 | 12"  | Carded    | 628204625289 |

**12" FLEXIBLE**  
MAGNETIC BIT & SCREW HOLDER

Specifically designed to flex and stay in place while working in confined, hard to reach places



**HEAVY DUTY MAGNETIC BIT & SCREW HOLDERS**

| ITEM     | SIZE | PACK TYPE | UPC          |
|----------|------|-----------|--------------|
| NIBBI235 | 3"   | Bulk      | 628204624350 |
| NIBBI236 | 6"   | Bulk      | 628204624367 |
| NIBBI255 | 12"  | Bulk      | 628204624558 |

**QUICK-CHANGE**  
MAGNETIC BIT HOLDERS

Extra-strength magnet for superior bit retention



**MAGNETIC BIT HOLDERS**

| ITEM                 | SIZE | PACK TYPE | UPC          |
|----------------------|------|-----------|--------------|
| NIBBI237             | 3"   | Bulk      | 628204624374 |
| NIBBI238             | 6"   | Bulk      | 628204624381 |
| NIBBI239 (Stainless) | 3"   | Bulk      | 628204624398 |

MAGNETIC  
**BIT HOLDERS**



**MAGNETIC SCREW GUIDE**

| ITEM     | LENGTH  | PACK TYPE | UPC          |
|----------|---------|-----------|--------------|
| NIBBI242 | 3-3/16" | Bulk      | 628204624428 |

- Engineered for use with long fasteners and hard-to-reach spots
- Reduces slipping and wobbling of fasteners, drive in faster and straighter

MAGNETIC  
**SCREW GUIDE**



Screw-guide sleeve retracts as the fastener is driven into the workpiece

**EYE LAG DRIVER**

| ITEM     | SIZE   | PACK TYPE | UPC          |
|----------|--------|-----------|--------------|
| NIBBI244 | 2-5/8" | Bulk      | 628204624442 |

- Compatible with all wood and self-tapping eye lag screws

**EYE LAG DRIVER**

Easily drives eye lag screws into wood or metal with any drill or screw gun



# DRIVE FURTHER

with NORSKE'S **NEXT GENERATION**  
**IMPACT TORSION BITS**

Norske's new **ULTRAMAX IMPACT TORSION BITS** are built to deliver up to **40X LONGER LIFE\***. The advanced **FLEX TECH 2.0** technology absorbs high torque stress while reducing bit fracture which means less trips to the toolbox. All bits are made from custom proprietary tool steel and heat treated to maximize strength and durability.

Innovatively designed **FLEX TECH 2.0 TORSION ZONE** absorbs high torque stress and reduces bit fracture

Hardened S2 Modified Impact Resistant Steel for extended bit life



CNC milled magnetic tip engineered to prevent "cam-out" and stripping

**ULTRAMAX**  
**IMPACT**  
**TORSION**

\*Versus Standard Screwdriver Bits



## SQUARE RECESS (CARDED)

| ITEM     | SIZE | LENGTH | QTY      | UPC          |
|----------|------|--------|----------|--------------|
| NIBCI404 | #2   | 1"     | 2PC Card | 628204626040 |
| NIBCI406 | #1   | 2"     | 2PC Card | 628204626064 |
| NIBCI407 | #2   | 2"     | 2PC Card | 628204626071 |
| NIBCI408 | #3   | 2"     | 2PC Card | 628204626088 |
| NIBCI415 | #1   | 3-1/2" | 1PC Card | 628204626156 |
| NIBCI416 | #2   | 3-1/2" | 1PC Card | 628204626163 |
| NIBCI417 | #3   | 3-1/2" | 1PC Card | 628204626170 |

| ITEM     | SIZE | LENGTH | QTY      | UPC          |
|----------|------|--------|----------|--------------|
| NIBCI440 | #1   | 6"     | 1PC Card | 628204626408 |
| NIBCI441 | #2   | 6"     | 1PC Card | 628204626415 |
| NIBCI442 | #3   | 6"     | 1PC Card | 628204626422 |



## PHILLIPS (CARDED)

| ITEM                  | SIZE | LENGTH | QTY      | UPC          |
|-----------------------|------|--------|----------|--------------|
| NIBCI452              | #1   | 1"     | 2PC Card | 628204626521 |
| NIBCI453              | #2   | 1"     | 2PC Card | 628204626538 |
| NIBCI454<br>(Drywall) | PR2  | 1"     | 2PC Card | 628204626545 |
| NIBCI455              | #3   | 1"     | 2PC Card | 628204626552 |
| NIBCI458              | #1   | 2"     | 2PC Card | 628204626583 |
| NIBCI459              | #2   | 2"     | 2PC Card | 628204626590 |
| NIBCI460<br>(Drywall) | PR2  | 2"     | 2PC Card | 628204626606 |
| NIBCI461              | #3   | 2"     | 2PC Card | 628204626613 |

| ITEM     | SIZE | LENGTH | QTY      | UPC          |
|----------|------|--------|----------|--------------|
| NIBCI468 | #1   | 3-1/2" | 1PC Card | 628204626682 |
| NIBCI469 | #2   | 3-1/2" | 1PC Card | 628204626699 |
| NIBCI470 | #3   | 3-1/2" | 1PC Card | 628204626705 |
| NIBCI476 | #1   | 6"     | 1PC Card | 628204626767 |
| NIBCI477 | #2   | 6"     | 1PC Card | 628204626774 |
| NIBCI478 | #3   | 6"     | 1PC Card | 628204626781 |



**TORX (CARDED)**

| ITEM     | SIZE | LENGTH | QTY      | UPC          |
|----------|------|--------|----------|--------------|
| NIBCI511 | T10  | 2"     | 2PC Card | 628204627115 |
| NIBCI512 | T15  | 2"     | 2PC Card | 628204627122 |
| NIBCI513 | T20  | 2"     | 2PC Card | 628204627139 |
| NIBCI514 | T25  | 2"     | 2PC Card | 628204627146 |
| NIBCI515 | T30  | 2"     | 2PC Card | 628204627153 |
| NIBCI516 | T40  | 2"     | 2PC Card | 628204627160 |

| ITEM     | SIZE | LENGTH | QTY      | UPC          |
|----------|------|--------|----------|--------------|
| NIBCI517 | T10  | 3-1/2" | 1PC Card | 628204627177 |
| NIBCI518 | T15  | 3-1/2" | 1PC Card | 628204627184 |
| NIBCI519 | T20  | 3-1/2" | 1PC Card | 628204627191 |
| NIBCI520 | T25  | 3-1/2" | 1PC Card | 628204627207 |
| NIBCI521 | T30  | 3-1/2" | 1PC Card | 628204627214 |
| NIBCI522 | T40  | 3-1/2" | 1PC Card | 628204627221 |



**NUT DRIVERS (CARDED)**

| ITEM     | SIZE  | LENGTH  | QTY      | UPC          |
|----------|-------|---------|----------|--------------|
| NIBCI560 | 1/4"  | 2-9/16" | 1PC Card | 628204627603 |
| NIBCI561 | 5/16" | 2-9/16" | 1PC Card | 628204627610 |
| NIBCI562 | 3/8"  | 2-9/16" | 1PC Card | 628204627627 |
| NIBCI563 | 7/16" | 2-9/16" | 1PC Card | 628204627634 |

| ITEM     | SIZE | LENGTH  | QTY      | UPC          |
|----------|------|---------|----------|--------------|
| NIBCI564 | 1/2" | 2-9/16" | 1PC Card | 628204627641 |

- Recessed corners drives fasteners on the flat
- Strong earth magnet provides exceptional holding strength

# HIGH-HEAD NUTSETTER

DESIGNED SPECIFICALLY FOR HIGH-HEAD SHEET METAL ROOFING SCREWS




High-Head Fit vs Standard Fit

**HIGH-HEAD NUT DRIVER (CARDED)**

| ITEM     | SIZE  | LENGTH  | QTY      | UPC          |
|----------|-------|---------|----------|--------------|
| NIBCI566 | 1/4"  | 2-9/16" | 1PC Card | 628204627665 |
| NIBCI567 | 5/16" | 2-9/16" | 1PC Card | 628204627672 |

- Recessed corners drives fasteners on the flat
- Strong earth magnet provides exceptional holding strength

**IMPACT TORSION DRIVER BIT SETS**

| ITEM     | DESCRIPTION                  | UPC          |
|----------|------------------------------|--------------|
| NIBPI707 | 52 PC Impact Torsion Bit Set | 628204629072 |



Set Includes: **1" PH** 1, 2 (x3), 3 | **1" PR** 2 (x2) | **1" SQ** 1, 2, 3 | **1" TORX** T10, T15, T20, T25 (x2), T30, T40 | **2" PH2 Dimpler** | **2" SQ2 Dimpler** | **2-5/8" Nutsetters**: 1/4", 5/16", 3/8" | **2-5/8" x 1/4" Adapter** | **3-1/2" PH** 1, 2, 3 | **3-1/2" PR2** | **3-1/2" SQ 2**, **3-1/2" TORX** T15, T20, T25 | **2-7/8" Heavy Duty Magnetic Bit + Screw Holder**

Tic Tac Case: **1" PH** 2 (x10), **1" PR** 2 (x5), **1" T25** (x5)

| ITEM     | DESCRIPTION                          | UPC          |
|----------|--------------------------------------|--------------|
| NIBPI712 | 46 PC Impact Torsion & Drill Bit Set | 628204629126 |



Set Includes: **1" PH** 1, 2 (x2), 3 | **1" PR** 2 | **1" SQ** 1, 2 (x3), 3 | **1" TORX** T15, T20 (x2), T25 (x2), T27, T30 | **2" PH** 1, 2 (x3), 3 | **2" PR** 2 | **2" SQ** 1, 2 (x3) | **2" TORX** T15, T20 (x2), T25 (x2), T30, T40 | **2-9/16" Double Ended PH2 X SQ2, T20 X T25** | **PH2 Dimpler Bit Socket Adapter** 1/4", 3/8" | **Nutsetter** 1/4", 5/16" | **TiCo Drill Bits** 1/8", 5/32", 3/16", 1/4" | **1/4" Magnetic Quick Change Bit Holder**

| ITEM     | DESCRIPTION                  | UPC          |
|----------|------------------------------|--------------|
| NIBPI703 | 42 PC Impact Torsion Bit Set | 628204629034 |



Set Includes: **1" PH** 1, 2 (x2), 3 | **1" PR** 2 | **1" SQ** 1, 2 (x3), 3 | **1" SL** 4, 6 | **1" TORX** T15, T20, T25 (x2) | **2" PH** 1, 2 (x3), 3 | **2" PR** 2 | **2" SQ** 1, 2 (x3) | **2" TORX** T15, T20 (x2), T25 (x2) | **2" SL** 6 | **3-1/2" PH** 2 | **3-1/2" PR** 2 | **3-1/2" SQ** 2 | **3-1/2" TORX** T25 | **Socket Adapter** 1/4", 3/8" | **2-5/8" Nutsetters** 1/4", 5/16", 3/8" | **1/4" Magnetic Quick Change Bit Holder**

| ITEM     | DESCRIPTION                  | UPC          |
|----------|------------------------------|--------------|
| NIBPI720 | 44 PC Impact Torsion Bit Set | 628204629201 |



**NEW!**

Set Includes: **1" PH** 1 (x1), 2 (x3), 3 (x1) | **1" PR** 2 (x1) | **1" SQ** 1 (x1), 2 (x3) | **1" Slotted SL6** (x1), **1" TORX** T15 (x1), T20 (x2), T25 (x2) | **2" PH** 1 (x1), 2 (x2), 3 (x1) | **2" PR** 2 (x1) | **2" SQ** 1 (x1), 2 (x3), 3 (x1), **2" Slotted SL4** (x1), SL6 (x1) | **2" TORX** T15 (x1), T20 (x1), T25 (x2) | **2" Socket Adapter** 1/4", 3/8" | **2-9/16" Nutsetter** 1/4", 5/16", 3/8" | **3-1/2" PH** 2 (x2) | **3-1/2" PR** 2 (x1) | **3-1/2" SQ** 2 (x1) | **3-1/2" TORX** T20 (x1), T25 (x1) | **2-3/8" Quick Change Bit Holder**

| ITEM     | DESCRIPTION                          | UPC          |
|----------|--------------------------------------|--------------|
| NIBPI721 | 47 PC Impact Torsion & Drill Bit Set | 628204629218 |



**NEW!**

Set Includes: **1" PH** 1 (x1), 2 (x3), 3 (x1) | **1" SQ** 1 (x1), 2 (x2), 3 (x1) | **1" TORX** T15 (x1), T20 (x2), T25 (x2), T27 (x1), T30 (x1) | **2" PH** 2 (x3), 3 (x1) | **2" PR** 2 (x1) | **2" SQ** 2 (x3), 3 (x1) | **2" TORX** T15 (x1), T20 (x2), T25 (x2), T30 (x1), T40 (x1) | **2" PH** 2 Dimpler Bit | **2" Socket Adapter** 1/4", 3/8" | **2-9/16" Nutsetter** 1/4", 5/16" | **2-9/16" Double Ended** T20 + T25, PH2 + SQ2, SL6 + PH2 | **2-1/4" Quick Change Bit Holder** | **Titanium Coated Drill Bits** 1/8" (x2), 5/32" (x2), 3/16" (x1), 1/4" (x1)

| ITEM     | DESCRIPTION                  | UPC          |
|----------|------------------------------|--------------|
| NIBPI722 | 54 PC Impact Torsion Bit Set | 628204629225 |



**NEW!**

Set Includes: **1" PH 1** (x1), 2 (x10), 3 (x1) | **1" PR 2** (x5) | **1" SQ 1** (x1), 3 (x1)  
**1" Slotted SL6** | **1" TORX T10** (x1), T15 (x1), T20 (x3), T25 (x5), T30 (x1), T40 (x1)  
**2" PH 1** (x1), 2 (x2), 3 (x1) | **2" PR 2** (x1) | **2" SQ 2** (x1) | **2" TORX T20** (x1), T25 (x1)  
**2" Socket Adapter 1/4"** | **2-9/16" Nutsetter 1/4", 5/16", 3/8"** | **3-1/2" PH 2** (x1)  
**3-1/2" PR 2** (x1) | **3-1/2" SQ 2** (x1) | **3-1/2" TORX T20** (x1), T25 (x1) | **2" PH 2 Dimpler Bit**  
**2" PR 2 Dimpler Bit** | **Heavy Duty Magnetic Bit and Screw Holder**

| ITEM     | DESCRIPTION   | UPC          |
|----------|---|--------------|
| NIBPI704 | 23 PC Impact Torsion Bit Set (PH2)<br>Set Includes: 20 Pcs of <b>1" PH2</b>   1 Magnetic Bit & Screw Holder | 628204629041 |
| NIBPI705 | 23 PC Impact Torsion Bit Set (T25)<br>Set Includes: 20 Pcs of <b>1" T25</b>   1 Magnetic Bit & Screw Holder | 628204629058 |
| NIBPI706 | 23 PC Impact Torsion Bit Set (SQ2)<br>Set Includes: 20 Pcs of <b>1" SQ2</b>   1 Magnetic Bit & Screw Holder | 628204629065 |



| ITEM     | DESCRIPTION                                  | UPC          |
|----------|--|--------------|
| NIBPI716 | 87 PC Impact Torsion Bit Set (SPECIAL ORDER) | 628204629164 |



Set Includes: **1" PH1** (x3), 2 (x6), 3 (x3) | **1" PR 2** (x3) | **1" SQ 1** (x3), 2 (x6), 3 (x3)  
**1" TORX T10** (x2), T15 (x2), T20 (x3), T25 (x4), T30 (x2), T40 (x2) | **1" SLOTTED SL6**,  
**SL8** (x2), **SL10** (x2), **1" Dimpler**, **2" PH 1** (x2), 2 (x4), 3 (x2) | **2" SQ 1** (x2), 2 (x4), 3 (x2)  
**2" TORX T10**, T15, T20 (x3), T25 (x4), T30, T40 | **2" Socket Adapter 1/4", 3/8"**  
**2" Nutsetter 1/4", 5/16"** | **3-1/2" PH 2** | **3-1/2" PH 2** | **3-1/2" PR 2** | **3-1/2" SQ 2** (x2)  
**3-1/2" TORX T25** (x2) | **2-7/8" Heavy Duty Bit & Screw Holder** | **3" Screw Guide**

**!! SPECIAL ORDER !!**

**ULTRA-MAX IMPACT TORSION DRIVER BIT SETS**

| ITEM     | DESCRIPTION                            | UPC          |
|----------|--|--------------|
| NIBPI708 | 40 PC ULTRA-MAX Impact Torsion Bit Set | 628204629089 |



Set Includes: **1" PH 1**, 2 (x2), 3 | **1" PR2** | **1" SQ 1,2** (x2), 3 | **1" TORX T10**, T15,  
T20, T25 (x2), T30, T40 | **2" PH 1**, 2 (x2), 3 | **2" SQ 1**, 2 (x2), 3 | **2" TORX T10**, T15,  
T20, T25, T30, T40 | **3-1/2" PH 2** | **3-1/2" SQ 2** | **3-1/2" TORX T25**  
**2" PH 2 Float Collar** | **2" SQ 2 Float Collar** | **2" x 1/4" Socket Adapter**  
**2" x 3/8" Socket Adapter** | **2-9/16" x 1/4" Nutsetter**, **2-9/16" x 5/16" Nutsetter**  
**2-7/8" x 1/4" Magnetic Bit Holder**

**MISCELLANEOUS SCREWDRIVER BIT SETS**

| ITEM     | DESCRIPTION   | UPC          |
|----------|---|--------------|
| NIBPI700 | 32 PC Impact Rated Bit Set<br><br>Set Includes: <b>4 - PH</b> 1, 2 (x2), 3   <b>4 - SQ</b> 1, 2 (x2), 3   <b>4 - SL</b> 3, 4, 5.5, 6.5<br><b>6 - HEX</b> - 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"   <b>6 - TORX</b> T15, T20, T25 (x2), T30, T40<br><b>TORX TAMPER</b> TT15, 20, 25 (x2), 30, 40   <b>1/4" Socket Adapter</b><br><b>1/4" Magnetic Quick Change Bit Holder</b> | 628204629003 |



| ITEM     | DESCRIPTION  | UPC          |
|----------|--|--------------|
| NIBPI709 | 23 PC Socket & Screwdriver Bit Set<br><br><ul style="list-style-type: none"> <li>• Accepts standard 1/4" hex shank bits and 1/4" square drive sockets (With 1/4" socket adapter)</li> <li>• Sockets: constructed from high quality chrome vanadium steel for maximum strength &amp; durability</li> </ul> Set includes 13 x <b>1/4" x 1"</b> Impact Bits - SQ0, SQ1, SQ2, SQ3, PH1, PH2, PH3, PR2, T15, T20, T25, 3/16" Hex, 1/4" Hex   1/4" Adapter   7 x <b>1/4"</b> Drive Sockets - 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"   <b>Bit Holder</b>   <b>Ratchet Wrench</b> | 628204629096 |



| ITEM     | DESCRIPTION   | UPC          |
|----------|---|--------------|
| NIBPI702 | 32 PC Impact Rated Bit Set with Heavy Duty Bit and Screw Holder<br><br>Set Includes: <b>4 - PH</b> 1, 2 (x2), 3   <b>4 - SQ</b> 1, 2 (x2), 3   <b>4 - SL</b> 3, 4, 5.5, 6.5<br><b>6 - HEX</b> - 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"   <b>6 - TORX</b> T15, T20, T25 (x2), T30, T40<br><b>TORX TAMPER</b> TT15, 20, 25 (x2), 30, 40   <b>1/4" Socket Adapter</b><br><b>Heavy Duty Magnetic Bit and Screw Holder</b> | 628204629027 |



22 MISCELLANEOUS

**2-IN-1 IMPACT SOCKET ADAPTER + BIT HOLDER**

- 2-IN-1 bit holder allows for a seamless transfer between sockets and bits
- Works with all 1/4" drive bits and 1/4" drive sockets
- Pull the sleeve down to expose the 1/4" drive socket holder; pull the sleeve up to retain your favorite 1/4" drive bits



| ITEM     | DESCRIPTION                          | UPC          |
|----------|--------------------------------------|--------------|
| NIBBI259 | 2-IN-1 Socket Adapter and Bit Holder | 628204624596 |

**4-IN-1 POCKET SCREWDRIVER**

- Four different bits in one tool - Includes 2 mini slot and 2 mini Phillips bits
- Heat-treated precision ground tips for greater strength



| ITEM     | DESCRIPTION            | UPC          |
|----------|------------------------|--------------|
| NIBPP700 | 4-IN-1 Pen Screwdriver | 628204649506 |

**MAGNETIC WRISTBAND**

- Features powerful rare earth magnets designed to securely hold wire nuts, screws, bits, nails and other small parts nearby
- Made from durable 1680D ballistic material; lightweight, durable and practical providing you with a steady fit
- Adjustable fit; **ONE SIZE FITS ALL!**



| ITEM    | DESCRIPTION         | UPC          |
|---------|---------------------|--------------|
| NMCP060 | Magnetic Wrist Band | 628204644600 |

**TWIN BLADE RETRACTABLE FOLDING KNIFE**

- **QUICKLY SWITCH BETWEEN UTILITY BLADE & HOOKED BLADE!**
- Sleek, lightweight design conveniently retracts and folds with the press of a button
- Lock-back design safely locks the blade in place when in use



| ITEM    | DESCRIPTION                                  | UPC          |
|---------|--|--------------|
| NMCP051 | Twin Blade Retractable Folding Utility Knife | 628204644518 |

**AUTO-LOAD FOLDING UTILITY KNIFE**

- Auto-Load Knife automatically loads the blade with the simple push of a button
- One-handed folding for quick and easy opening/closing
- Push button blade change for fast blade changes
- Accepts most standard utility blades



| ITEM    | DESCRIPTION                     | UPC          |
|---------|---------------------------------|--------------|
| NMPC076 | Auto-Load Folding Utility Knife | 628204644761 |

**SLIDING POCKET UTILITY KNIFE**

- Features quick, tool-free blade change
- All metal body provides maximum strength & durability
- Slide button reduces accidental activation and retraction of the blade giving users maximum control



| ITEM    | DESCRIPTION                  | UPC          |
|---------|------------------------------|--------------|
| NMCP075 | Sliding Pocket Utility Knife | 628204644754 |

**HEAVY DUTY GEL KNEE PADS**

- Durable tough PVC shell ideal for concrete, construction, wood & tile flooring, roofing, welding, gardening and more!
- High-density foam & gel padding provide optimal comfort and support on the toughest jobs



| ITEM    | DESCRIPTION              | UPC          |
|---------|--------------------------|--------------|
| NMCP052 | Heavy Duty GEL Knee Pads | 628204644525 |

**NORSKE™**

NBRSBE002

**NORSKE TOOLS LTD**

Unit 101 19052 26 Ave

Surrey BC, V3Z 3V7

Fax: 1.888.875.5697

Toll Free: 1.855.566.7753

[www.norskertools.com](http://www.norskertools.com)